

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correc	ted.											
Instru	ictions to OPI from School District												
☐ Thi	s bus has been sold, retired, or is no longe	r in serv	ice. Ple	ase c	lelete it fr	om OPI	's records.						
Ple	ase make corrections noted below. Don't	black ou	ut the err	or, O	PI may ne	eed to re	ead it to make the corr	ection.					
OPI County # and County Name				District Name									
							_						
	41 Ravalli		T					<u>rvallis K-</u>					
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen	se#		Rated C	Capacity	, ****		
	1BAKBCKH44F217796			200	าว		783				19		
Chas	sis Make				Body Mal	(e	700	Bus Type	: (see ? f	or defini			
0					zou, ma	. ,			, ,				
	Bluebird						ebird	□ A [В	✓ C	☐ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	•							
✓ Ye	es 🗆 No	✓ F	orward	d Fa	cing [☐ Aisl	e Facing 🔲 N	ot Applica	able				
Type	of Fuel:				ct Owned		ontractor Owned If co			tractor's	name i	S:	
			uo. 💽									·	
\Box G	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
		TO	BE FIL	LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	1s	t semes	ster 🗹 2nd semes	ster					
			Appro	oved							App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA **	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		ina			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps				-	C18	Interior lamps			1		—	
C10	Color					C18 C21	Ceiling - interior						
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)					C21	Seating Floor					┼──	
C18	Red amber signals - front					C9	Aisle					+	
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows			1		† 	
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	
C6	Head lamp indicator					C18	Stop lamps						
C6 C20	Horn	1				C18	Marker lamps - rear Strobe light - rear ***			<u> </u>		—	
C20	Interior mirror Speedometer					C19 C17	Identification - rear					┼	
C2	Brakes					C4	Exhaust system (no l	eaks)				+	
C21	Driver seat belt					C5	Fuel tank	cans		1		+	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min	າ.)	1		† 	
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r						
C6	Heaters						Shovel (securely fast					└	
C20	Wheelchair forward facing (post 1993)		(0000 F II		*****		Axe (securely fastene	,		<u> </u>	<u> </u>	<u> </u>	
	umber reference, Standards for School Buses in lot apply. ***New buses ordered after 08/15/02.*										ariver.		
					,								
	st inspection, this bus is:						einspection, this bus	IS:					
	Approved Not Approved						Approved Not Approved						
	• •						• •						
inspec	cting Patrol Officer:					inspe	cting Patrol Officer:						
Badge	No	Date				Badge	e No.			Date			
	ture of District Official					Date							
•													



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected

r lightway in all totals as all defects are corrected.													
	ections to OPI from School District:												
	s bus has been sold, retired, or is no longe												
☐ Ple	ase make corrections noted below. Don't	black ou	ut the erro	or, C	OPI may n	eed to read it to make the correction.							
OPI (County # and County Name					Distri	ct Name						
	41 Ravalli						Cor	vallis K-	12 Sch	ools			
Vehic	le I.D. # (VIN) - Entire Number		Mod	lel Y	′ear	Licen		vanis it-	Rated C		, ****		
	, ,									zapaony			
	1BABMBXA5LF038858			19	91		X267				84		
Chas	sis Make				Body Mal	кe		Bus Type	: (see ? f	or defini	ition)		
	Other					Blu	ebird	\Box A	□ B [С	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift I	Equipped?		00110						
□ Y	es 🗹 No	1 – .	-0511050	ıra	noin a	ΠΛial	o Fooing	ot Applied	hla				
			orward					ot Applica					
Type	of Fuel:	Is B	us:	Disti	rict Owned	C C	ontractor Owned If co	ontractor ow	ned, con	tractor's	name	is:	
\Box G	as 🗹 Diesel 🗌 Other						Brian We	ber					
					INCDE	CTION							
		TC	BE FIL	LED			GHWAY PATROL						
	This	inspect	ion is for		☐ 1s	t semes	ster 2nd semes	ster					
			Appro								App	roved	
Page	Items listed in the Standards	Yes		NA	Corr	Page	Items listed in			Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		na			**	
C17	Identification - front					C34	Belt cutter **** attach	ed				┼	
C18	Head lamps Color	1				C18	Interior lamps Ceiling - interior					+	+
C18	Turn signal lamps - front					C21	Seating					+	+
C18	Turn signal lamps - side (post 1987)					C14	Floor					+	
C18	Red amber signals - front	1				C9	Aisle					1	+
C18	Marker lamps - front					C22	Tools - storage					1	
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door					+	
C4	Generator or alternator	<u> </u>				C18	Red amber signals -					┼	
C11	Service door Head lamp indicator					C18	Turn signal lamps - re Stop lamps	ear				+	+
C6	Horn					C18	Marker lamps - rear					+	+
C20	Interior mirror					C19	Strobe light - rear ***					+	
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no le	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min	.)			↓	
C13	Fire extinguisher (5 lbs)					000	Cleanliness						
C13	First aid kit Body fluids kit					C22	Stop arm No trailer hitch					+	-
C11	Defroster Defroster					CS	Required by forest r	equiation:				+	+
C6	Heaters	1					Shovel (securely faste					+	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,				+	+
*Page n	umber reference, Standards for School Buses in I						equired to wear lap/should	der belts - cut			driver.		
Does i	not apply. *New buses ordered after 08/15/02.**	***Based	on origina	al cap	pacity listed	on the m	anutacturers certification t	ag tound insi	de the bus.				
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	e No	Date				Badge No. Date							
Signa	ture of District Official			_		Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highwa	ay Patrol as soon as all defects are correc	ted.											
Instru	ictions to OPI from School District												
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Ple	ase make corrections noted below. Don't	black ou	ut the err	or, Ol	PI may ne	eed to re	ead it to make the corre	ection.					
OPI County # and County Name				District Name									
	,												
	41 Ravalli		T					<u>vallis K-</u>					
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen	se#		Rated C	Capacity	****		
	1GDL6P1BXEV549540			198	84		318				66		
Chass	sis Make				Body Mal	(e	310	Bus Type	: (see ? fo	or defini			
0					- cu,a.			• • •	•				
	GMC						ebird	□ A [□В	✓ C	∐ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	•							
☐ Ye	es 🗹 No	□ F	orward	d Fad	cing [☐ Aisl	e Facing 🗹 N	ot Applica	able				
	of Fuel:				ct Owned		ontractor Owned If co			tractor's	name i	s:	
												·	
✓ G:	as \square Diesel \square Other												
					INSPE	CTION							
		TO	BE FIL	LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	1s	t semes	ster 🗹 2nd semes	ster					
			Appro	oved							App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA **	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		na			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18 C21	Ceiling - interior						
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)				+	C21	Seating Floor					 	
C18	Red amber signals - front				+	C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield				+	C24	Windows				1	 	
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	or					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	
C6	Head lamp indicator				_	C18	Stop lamps						
C6 C20	Horn Interior mirror					C18 C19	Marker lamps - rear Strobe light - rear ***				-		
C20	Speedometer				+	C17	Identification - rear					├──	
C2	Brakes					C4	Exhaust system (no le	eaks)					
C21	Driver seat belt					C5	Fuel tank	ouno)					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min	1.)				
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r						
C6	Heaters						Shovel (securely faste					<u> </u>	
	Wheelchair forward facing (post 1993)	Monter	(2002 5:1	ion\ 1	***D/ '	(0.00	Axe (securely fastene	,	40×04+	d no - :-!-	alvis (- ::	<u></u>]
	umber reference, Standards for School Buses in lot apply. ***New buses ordered after 08/15/02.*										arıver.		
		_ 46500	Jg.		,								
	st inspection, this bus is:						einspection, this bus	IS:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No	Date				Badge	e No.			Date			
	ture of District Official	_	-			Date		-		_		_	
- 3													



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Rated Capacity ***** Vehicle I.D. # (VIN) - Entire Number Model Year License # TPL32835020820181 1978 189 Bus Type: (see ? for definition) Chassis Make Body Make **✓** A □в □с \Box D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 8044 1983 **M89** Bus Type: (see ? for definition) Chassis Make Body Make Пв ПА ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Tintzman INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Items listed in the Standards NΑ Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXX7039 1984 M01 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Brian Weber** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABNCXA21F097706 2000 653 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Page Items listed in the Standards Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 8051 1983 AQ22 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Brian Weber** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 6317 1987 **K878** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Brian Sutherland** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected

riigiiw	ay i alioi as soon as all aciccis are conce	icu.											
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPI C	County # and County Name					Distri	ct Name						
	41 Ravalli						Co	rvallis K-	12 Scho	ools			
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Yea	ar	Licen	se #		Rated C	apacity	*****		
	1BABMC7A9TF066491		1995 535						84				
Chas	sis Make			В	ody Mal	ке		Bus Type:	(see ? fo	r defini	ition)		
	Bluebird	Blue			ebird		В	Z C	\Box D				
Whee	el Chair Lift Equipped?	Wheel Chair Lift Equipped?											
☐ Ye	es 🗹 No	☐ F	orwar	d Fac	ing	☐ Aisl	e Facing 🔽 N	lot Applica	ble				
Туре	of Fuel:	Is Bu	us: 🗸	Distric	t Owned	1 C	ontractor Owned If co	ontractor ow	ned, conti	ractor's	name	is:	
□G	as ☑ Diesel ☐ Other												
		тс	BE FIL	LLED C		CTION THE HI	GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ter 🗹 2nd seme	ster					
		Approved Approve					roved						
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	ned					
C10	Hood Jampa			1		C10	Interior lemne						1

Head lamps Interior lamps C18 C10 Color Ceiling - interior C18 Turn signal lamps - front C21 Seating C14 C18 Turn signal lamps - side (post 1987) Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear C11 C18 Service door Turn signal lamps - rear C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt C5 Fuel tank Steering gear Tires (2/32" rear - 4/32" front min.) Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:				
Approved		Approved				
Not Approved		Not Approved				
Inspecting Patrol Officer:		Inspecting Patrol Officer:				
Badge No.	Date	Badge No.	Date			
Signature of District Official		Date				
Signature of District Official		Date				



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Instructions to OPI from School District:

Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
	ase make corrections noted below. Don't							ection.					
OPI County # and County Name						ct Name							
41 Ravalli						Col	rvallis K	.12 Sch	ools				
Vehic	le I.D. # (VIN) - Entire Number		Mod	del \	/ear	Licen		vanis iv		Capacity	*****		
	4PAPMC7A2WE076062			40	. 00		570				0.4		
Chas	1BABMC7A2WF076963 sis Make			18	998 Body Mal	(e	579	Bus Type	e: (see ? f	or defin	84		
Onas					Body Mai			□ A	□ B	□ c	☑ D		
\\/haa	Bluebird I Chair Lift Equipped?	\A/ba	al Chair	1 :44	Equipped?		ebird	⊔А	⊔Ь		V D		
☐ Ye			orward					ot Applic					
Type	of Fuel:	Is B	us: 🗸	Dist	rict Owned	_ C	ontractor Owned If co	ontractor ov	vned, con	tractor's	name	is:	
\square G	as ☑ Diesel ☐ Other												
						CTION							
	This		O BE FIL ion is for		_	THE HI	GHWAY PATROL ster ✓ 2nd seme:	etor					
	11113	mopeci	Appro			t Sellies	v zna seme	Stei			App	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes		NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front Marker lamps - front					C9 C22	Aisle Storage					1	
C18	Windshield		1		_	C24	Tools - storage Windows			1		1	
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery	1				C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear	1 -1					
C2	Brakes					C4	Exhaust system (no l	eaks)				<u> </u>	
C21	Driver seat belt Steering gear					C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front mi	n)				
C13	Fire extinguisher (5 lbs)	1			+	0,	Cleanliness	2 1101111111	11.)		<u> </u>		
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
- 3	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**			- /						,	driver.		
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspecting Patrol Officer:							
Badge	No	Date				Badge No Date							
Signa	ture of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.												
Instructions to OPI from School District:												
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
_ Ple	ase make corrections noted below. Don't	black ou	ut the er	ror, OF	PI may n	eed to read it to make the correction.						
OPI County # and County Name						Distri	ct Name					
							_		_			
	41 Ravalli							rvallis K-12 Sc				
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ar	Licen	se#	Rated	Capacity	/ ****		
	1BABMC7A4LF034581			199	0		433			84		
Chas	sis Make				Body Mal	ke		Bus Type: (see ?	for defin	_		
					,			□А□В	□с	✓ D		
	Bluebird	1					<u>iebird</u>			<u>•</u> 0		
whee	el Chair Lift Equipped?	Whe	el Chaii	Lift E	quipped?	?						
□ Ye	es 🗹 No	□ F	orwar	d Fad	cing	☐ Aisl	e Facing 🗹 N	lot Applicable				
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	d C	ontractor Owned If co	ontractor owned, co	ntractor's	name	is:	
□G	as ☑ Diesel ☐ Other		_									
	as 🛂 Diesei 🗆 Other											
					INSPE	CTION						
					OUT BY	THE HI	GHWAY PATROL					
	This	inspect			1s	t semes	ster 🗹 2nd seme	ster				
_		Tv.		oved	1.		1				roved	To
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus	the Standards	Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach				+	+
C18	Head lamps					C18	Interior lamps	lou	+	1	+	+
C10	Color					C18	Ceiling - interior				1	+
C18	Turn signal lamps - front					C21	Seating				1	
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows				<u> </u>	
C24	Windshield wipers					C13	Warning device				 	
C20	Exterior mirrors					C13	Buzzer emergency d	oor	-		+	+
C3 C4	Battery Generator or alternator	1				C12 C18	Emergency door Red amber signals -	rear	+		+	+
C11	Service door					C18	Turn signal lamps - re				+	+
C6	Head lamp indicator					C18	Stop lamps	<u>oui</u>			+	+
C6	Horn					C18	Marker lamps - rear				1	
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					1	Identification - rear					
C2	Brakes					C4	Exhaust system (no l	eaks)			<u> </u>	
C21	Driver seat belt					C5	Fuel tank	2011 (1 ')	_		₩	+
C7 C13	Steering gear					C7	Tires (2/32" rear - 4/3 Cleanliness	32" front min.)			+	+
C13	Fire extinguisher (5 lbs) First aid kit					C22	Stop arm				+	+
C13	Body fluids kit					C5	No trailer hitch		+		+	+
C11	Defroster						Required by forest	regulation:			1	
C6	Heaters	1					Shovel (securely fast			1	1	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)				
	umber reference, Standards for School Buses in l not apply. ***New buses ordered after 08/15/02.**									driver.		
On fi	st inspection, this bus is:					On re	einspection, this bus	is:				
	Approved						Approved					
	Not Approved						Not Approved					
Inspec	eting Patrol Officer:					Inspe	cting Patrol Officer:					
Badge		Date			_							
	ture of District Official	Date				Badge No Date						
Jigila	Co. Biodiot Ciliolai					Date						



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.												
Instructions to OPI from School District:												
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
☐ Ple	ase make corrections noted below. Don't	black ou	ut the er	ror, O	PI may n	eed to read it to make the correction.						
OPI County # and County Name					Distri	ct Name						
	41 Ravalli							rvallis K-12 (
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Y	ear	Licen	se #	Ra	ted Capacity	/ *****		
	1BABMC7A4PF055369			199	93		493			84		
Chas	sis Make				Body Mal	ke	400	Bus Type: (se	e ? for defin	_		
					,					,		
	Bluebird						ebird	□ A □ E	3	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift E	quipped?	?						
☐ Ye	es 🗹 No	□ F	orwar	d Fa	cing	☐ Aisl	e Facing 🗹 N	ot Applicable	!			
Type	of Fuel:	Is B	us: 🗸	Distri	ct Owned	d C	ontractor Owned If co			name	is:	
□G	as 🗹 Diesel 🗌 Other											
					INSPE	CTION						
					OUT BY	THE HI	GHWAY PATROL					
	This	inspect	ion is fo	r:	1s	t semes	ter 2nd seme	ster				
				roved		T_			-		roved	T
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus		Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					
C18	Head lamps					C18	Interior lamps	leu				
C10	Color					C18	Ceiling - interior				+	
C18	Turn signal lamps - front					C21	Seating					
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows					
C24	Windshield wipers					C13	Warning device					
C20	Exterior mirrors					C13	Buzzer emergency de	oor			-	
C3 C4	Battery Generator or alternator					C12 C18	Emergency door Red amber signals -	roor				
C11	Service door					C18	Turn signal lamps - re					
C6	Head lamp indicator					C18	Stop lamps	cai			+	
C6	Horn					C18	Marker lamps - rear					
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					C17	Identification - rear					
C2	Brakes					C4	Exhaust system (no l	eaks)				
C21	Driver seat belt					C5	Fuel tank					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)			-	
C13	Fire extinguisher (5 lbs)	<u> </u>		-		Coo	Cleanliness			 	+	+
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch				+	
C13	Defroster				+	00	Required by forest r	regulation:			+	
C6	Heaters				1		Shovel (securely fast				+	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,			†	1
*Page ni	umber reference, Standards for School Buses in I						equired to wear lap/shoul	der belts - cutter at		driver.		
Does r	not apply. *New buses ordered after 08/15/02.**	***Based	d on origir	nal cap	acity listed	on the m	anufacturers certification t	tag found inside the	e bus.			
On fi	st inspection, this bus is:					On re	inspection, this bus	is:				
	Approved						Approved					
	Not Approved						Not Approved					
Insped	cting Patrol Officer:					Inspec	cting Patrol Officer:					
Darde :	No.	Det-										
Badge		Date				Badge No Date						
Signature of District Official				Date								



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMC7A0PF055370 1993 492 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No Page Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMC7A1XF083274 1998 598 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date

Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXX4411 1991 AQ20 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Brian Weber** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXX4416 1991 **AQ18** Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ☐ Gas ✓ Diesel Other **Brian Weber** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:	On reinspection, this bus is:

On first inspection, this bus is:		On reinspection, this bus is:					
Approved		Approved					
Not Approved		Not Approved					
Inspecting Patrol Officer:		Inspecting Patrol Officer:					
Badge No.	Date	Badge No.	Date				
Signature of District Official		Date					

C22

C5

Fuel tank

Stop arm

Cleanliness

No trailer hitch

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
	s bus has been sold, retired, or is no longe ase make corrections noted below. Don't l							raction					
	County # and County Name	JIACK OC	it tile ei	101, 01	Tillay III	District Name							
	,						0		40 Oak	1-			
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ar	Licen		rvallis K-	Rated C		, ****		
Verilo	, ,		IVIC	uei ie	ai	LICETI	3C #		Nateu C	apacity			
	1BABMC7A8VF071426			199			555		/ 0.1		84		
Chas	sis Make				Body Mal	(e		Bus Type			,		
	Bluebird					Blu	ebird	\Box A	⊒В [□с	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chai	Lift E	quipped?)							
☐ Ye	es 🗹 No	☐ F	orwar	d Fac	ing	☐ Aisl	e Facing 🔽 N	ot Applica	able				
Туре	of Fuel:	Is Bu	JS: 🗸	Distric	ct Owned	l C	ontractor Owned If co	ontractor ow	ned, cont	ractor's	name	is:	
□G	as ☑ Diesel ☐ Other												
					INCDE	CTION							
		тс	BE FII	LLED			GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ter 2nd seme	ster					
				oved			-			1		roved	1 -
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front						Belt cutter **** attach		ina			1	
C18	Head lamps					C18	Interior lamps					†	
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 C9	Floor Aisle					-	
C18	Marker lamps - front					C22 Tools - storage					+		
C18	Windshield					C24	Windows					†	
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor				<u> </u>	
C3 C4	Battery Generator or alternator					C12 C18	Emergency door Red amber signals -	roor				+	
C11	Service door					C18	Turn signal lamps - re					+	
C6	Head lamp indicator					C18	Stop lamps	<u> </u>					
C6	Horn						Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***					<u> </u>	
C6	Speedometer					C17	Identification - rear	laaka)				+	
C2 C21	Brakes Driver seat belt					C5	Exhaust system (no I Fuel tank	eaks)				+	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min	n.)			1	
C13	Fire extinguisher (5 lbs)						Cleanliness		,				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch					 	
C11 C6	Defroster Heaters						Required by forest r Shovel (securely fast					 	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,				+	
*Page ni	umber reference, Standards for School Buses in M						equired to wear lap/shoul	der belts - cut		l d nearby	driver.		I
Does r	not apply. *New buses ordered after 08/15/02.**	***Based	l on origir	nal capa	city listed	on the m	anufacturers certification t	tag found insi	de the bus.				
On fi	st inspection, this bus is:					On re	inspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	cting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge	No	Date				Badge	e No			Date _			
Signa	ture of District Official					Date	-						
						1							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correc	ted.											
	actions to OPI from School Districts s bus has been sold, retired, or is no longe		/ice. Ple	ase o	delete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the erro	or, O	PI may ne	eed to re	ead it to make the corr	ection.					
OPI County # and County Name					District Name								
	41 Ravalli						Coi	rvallis K-	12 Sch	ools			
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Y	ear	Licen	se #		Rated C	Capacity	*****		
	1CDI 6D1D6CV121654			19	06		368				54		
Chass	1GBL6P1B6GV121654 sis Make				Body Mal	(0	300	Bus Type	· (see ? fo	or defini	_		
Cilas	ois iviane				Dody Iviar	\C			•		,		
	Chevrolet						ebird	\square A	□В	✓ C			
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?)							
✓ Ye	es 🗆 No	✓ F	orward	l Fa	cing [☐ Aisl	e Facing 🔲 N	ot Applica	able				
Туре	of Fuel:	Is B	us: 🗸	Distri	ict Owned	ГС	ontractor Owned If co	ontractor ow	vned, cont	tractor's	name i	s:	
✓ G	as \square Diesel \square Other					_							
V G	as 🗆 Diesei 🗀 Other												
						CTION							
							GHWAY PATROL						
	This	inspect	ion is for		1s	t semes	ster 🗹 2nd semes	ster					
Dogo	Items listed in the Standards	Voc	Appro		Corr	Dogo	Items listed in	the Ctanda	rdo.	Voc	App No	roved	T.Corr
Page No.*	for School Buses in Montana	Yes	NO	NA **	Corr	Page No.*	for School Bus			Yes	INO	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach						
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						1
C20	Exterior mirrors					C13	Buzzer emergency do	oor					1
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)				<u> </u>	
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mir	า.)				
C13	Fire extinguisher (5 lbs)					000	Cleanliness					├	+
C13	First aid kit Body fluids kit					C22 C5	Stop arm					_	-
C13	Defroster					Co	No trailer hitch	omulation.				 	-
C11 C6	Heaters	1				1	Required by forest r Shovel (securely faste					├──	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					 	+
	umber reference, Standards for School Buses in I	Montana	(2002 Edit	ion)	****Bus driv	vers are i			tter attache	d nearby	driver		
	not apply. ***New buses ordered after 08/15/02.*												
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved	13.					
	Not Approved						Not Approved						
	cting Patrol Officer:					_	cting Patrol Officer:						
spec													
Badge	No	Date				Badge No Date							
Signa	ture of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correc	ted.											
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Please make corrections noted below. Don't black out the error, OPI may nee					T								
OPI County # and County Name					Distri	ct Name							
	41 Ravalli						Co	rvallis K-	12 Sch	ools			
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	Licen			Rated C		*****		
	4CBI 6B4B2EV242026			400) E		244				cc		
Chas	1GBL6P1B2FV212936 sis Make			198	Body Mal	Δ	341	Bus Type	· (see ? fo	or defini	66		
Cilas	ois iviane			'	Jouy Iviar	(C							
	Chevrolet						ebird	\Box A	В	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	•							
\square Ye	es 🗹 No	□ F	orward	d Fad	cing [☐ Aisl	e Facing 🗹 N	ot Applica	able				
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	_ C	ontractor Owned If co	ontractor ow	ned, cont	tractor's	name	is:	
✓ G	as \square Diesel \square Other												
<u>.</u>													
		т.	. DE EU		_	CTION	CLIMAN DATECT						
	Thio		ion is fo				GHWAY PATROL ster ✓ 2nd seme:	otor					
	TIIIS	inspeci	Appr		18	t semes	ster 💌 zna seme:	Stei			Ann	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standar	ds .	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus	es in Monta	ına			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18 C21	Ceiling - interior			-		-	
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)				1	C14	Seating Floor						
C18	Red amber signals - front					C9	Aisle						+
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4 C11	Generator or alternator				1	C18 C18	Red amber signals -						
C6	Service door Head lamp indicator					C18	Turn signal lamps - re Stop lamps	Eal					
C6	Horn					C18	Marker lamps - rear						+
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank	2011 ()	,				
C7 C13	Steering gear Fire extinguisher (5 lbs)					C7	Tires (2/32" rear - 4/3 Cleanliness	32" front mir	1.)				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	regulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
	umber reference, Standards for School Buses in lot apply. ***New buses ordered after 08/15/02.*										driver.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No.	Date				Badge No. Date							
	ture of District Official	-410				Date				-410			
Signa	tare of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # XXXXXXXXXXXXXX0532 1985 Z890 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Bret Tintzman** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved

Not Approved
Inspecting Patrol Officer:

Badge No.
Date
Badge No.
Date
Date
Date
Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

nignw	ay Patrol as soon as all defects are correcte	u.											
Instructions to OPI from School District:													
☐ This bus has been sold, retired, or is no longer in service. Please delete it from						om OPI	's records.						
Please make corrections noted below. Don't black out the error, OPI may need				eed to read it to make the correction.									
OPI County # and County Name				District Name									
0	•					District Ivalite							
	41 Ravalli						Cor	rvallis K-					
Vehic	le I.D. # (VIN) - Entire Number		Mod	lel \	⁄ear	Licen	se #		Rated (Capacity	****		
	40DC7T4C7V IE00C70			20	200		COO				40		
Chas	1GBG7T1C7YJ500672			4	000		632	Bus Type	: (000 2 1	for dofini	18		
Chas	sis Make				Body Mak	e		, ,	•		tion)		
	Chevrolet					Blu	ıebird	\Box A	□ B	✓ C	\Box D		
Whee	l Chair Lift Equipped?	Whe	el Chair	Lift	Equipped?								
✓ Ye	es 🗆 No		orward	ı =,	ocina [Λicl	e Facing N	ot Applies	ablo				
								ot Applica					
Type	of Fuel:	Is Bu	us: 🗸 l	Dist	rict Owned	□ C	ontractor Owned If co	ontractor ow	med, con	tractor's	name i	S:	
□G	as 🗹 Diesel 🗌 Other												
		TC	DE EII			CTION	GHWAY PATROL						
	This i				_		_						
	I nis i	nspect	ion is for:		_	t semes	ster 2nd semes	sier			۸	rovod	
Page	Items listed in the Standards	Yes	Appro No	vec NA	Corr	Page	Items listed in	tha Standar	de	Yes	App No	roved NA	Corr
No.*	for School Buses in Montana	res	INO	**	Con	No.*	for School Bus			res	INO	**	Con
C17	Identification - front					C34	Belt cutter **** attach						+
C18	Head lamps					C18	Interior lamps	<u> </u>		1		1	+
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						+
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror				_	C19	Strobe light - rear ***			-		<u> </u>	+
C6	Speedometer					C17	Identification - rear	ooko)					
C2 C21	Brakes Driver seat belt					C4 C5	Exhaust system (no le Fuel tank	eaks)					-
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min	,)				_
C13	Fire extinguisher (5 lbs)		 			0,	Cleanliness	- 110HL 11HH	••)	1			+
C13	First aid kit		 			C22	Stop arm			+			+
C13	Body fluids kit		 		+	C5	No trailer hitch			+			+
C11	Defroster						Required by forest r	egulation:					1
C6	Heaters						Shovel (securely faste						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
*Page ni	umber reference, Standards for School Buses in M not apply. ***New buses ordered after 08/15/02.***						required to wear lap/should	der belts - cut			driver.		
			- 3		. ,								
	st inspection, this bus is:					On re	einspection, this bus	IS:					
	Approved						Approved						
	Not Approved						Not Approved						
Insped	ting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No	Date				Badge	e No.			Date			
Signa	ure of District Official					Date							
											TR-1	3 Revis	ed 11/04



Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Corvallis K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAAHCSH2KF030726** 1989 218 66 Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior C18 Turn signal lamps - front C21 Seating C18 Turn signal lamps - side (post 1987) C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C19 Strobe light - rear *** C20 Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.

Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C22

C5

Fuel tank

Stop arm

Cleanliness

No trailer hitch

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBNMP8NH411057 1992 **BS53** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D International **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:

Approved

Not Approved

Not Approved

Inspecting Patrol Officer:

Badge No.

Date

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 4DRBVAAR14A982535 806 2004 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в □с **✓** D Other International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No NA Page Items listed in the Standards Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **PRMT 1BABMC7APF055903** 1993 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 48SA1AAX2LL000154 1991 AV63 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D Ward Other Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 8044 **TM89** 1983 Bus Type: (see ? for definition) Chassis Make Body Make ПА Пв ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 C18 Stop lamps Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMC7A3NF049382 1992 **TEMP** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **3TV4** 1FDPJ75C1PVA34514 1993 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Ford Carpenter Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.
Date
Badge No.
Date
TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVB8ZWN4LH202124 1990 3TV3 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D Ward International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

On first inspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.
Date
Badge No.
Date
TR-13 Revised 11/04



Brakes

C13

C13

C11

C6

C20

Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BAANCSH2TF067172** 1996 Z974 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:	On reinspection, this bus is:
Approved	Approved
Not Approved	Not Approved
Inspecting Patrol Officer:	Inspecting Patrol Officer:
Badge No Date	Badge No Date
Signature of District Official	Date

C4

C22

C5

Exhaust system (no leaks)

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)
Axe (securely fastened)

Fuel tank

Cleanliness

Stop arm
No trailer hitch

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAAHCPH61F097270 2001 280 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1BABMCMA5JF079756** 1988 U414 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is:

On first inspection, this bus is:

Approved
Not Approved
Not Approved
Inspecting Patrol Officer:

Badge No.
Date
Badge No.
Date
TR-13 Revised 11/04



C11

C6

C20

Heaters

Wheelchair forward facing (post 1993)

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # V407 1HVBB27L3LH279919 1990 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D Ward International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **Harlows School Bus Service** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch Defroster

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAB1CMA1FF067040 1985 215 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No Page Yes No Yes NA Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correc	ted.											
	actions to OPI from School District: s bus has been sold, retired, or is no longe		/ice. Ple	ase (delete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, O	PI may ne	eed to re	ead it to make the corre	ection.					
OPI C	County # and County Name					Distri	ct Name						
	41 Ravalli					Stevensville Public Schls							
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Y	ear	Licen	se #		Rated C	Capacity	****		
	1FDWB70HXEVA47092 1984						U412				48		
Chass	sis Make				04 Body Mal	(A	0412	Bus Type	· (see ? fo	or defini			
Onas	313 Wake				Dody Mai	···		• •	•		,		
	Ford						penter	□ A □	В	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?)							
✓ Ye	es 🗌 No	✓ F	orward	d Fa	cing	_ Aisl	e Facing \Quad N	ot Applica	able				
Туре	of Fuel:	_					ontractor Owned If co			tractor's	name i	s:	-
✓ G						_							
V G	as 🗆 Diesei 🗀 Other						Harlows School E	<u> Bus Serv</u>	ice				
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for		1s	t semes	ster 🗹 2nd semes	ster					
D	the sea l'atant's the Oten dende	1.	Appro		0	D	Irana Parades	d Ot d.		1/		roved	10
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		a			 	+
C18	Head lamps					C18	Interior lamps	-				 	+
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage					└	<u> </u>
C18	Windshield					C24	Windows					<u> </u>	
C24	Windshield wipers	<u> </u>				C13	Warning device					 	
C20	Exterior mirrors Battery	 				C13	Buzzer emergency do Emergency door	001				┼─	+
C4	Generator or alternator	1				C18	Red amber signals -	rear					+
C11	Service door					C18	Turn signal lamps - re						+
C6	Head lamp indicator					C18	Stop lamps						1
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear					Ļ	
C2	Brakes					C4	Exhaust system (no l	eaks)				<u> </u>	
C21	Driver seat belt Steering gear					C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front mir	2)			┼	+
C13	Fire extinguisher (5 lbs)					C1	Cleanliness	2 11011111111	1.)			 	+
C13	First aid kit					C22	Stop arm					 	+
C13	Body fluids kit	1				C5	No trailer hitch						+
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
	umber reference, Standards for School Buses in l not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	eting Patrol Officer:					_							
	No					Inspecting Patrol Officer: Badge No Date							
	ture of District Official					Date							
Jigila						-410							



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAAHCPH61F097269 2001 494 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

	ay Patrol as soon as all defects are correct		MI 20-10-	· 10 1, N	VICA. AI	verlicie	s not approved on his	i inspection in	iust be reii	spec	sted by	uie	
Instru	ctions to OPI from School District:												
	s bus has been sold, retired, or is no longe		ice. Ple	ase de	elete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, OF	PI may n	eed to re	ead it to make the corr	ection.					
OPI C	County # and County Name					District Name							
	44 Davidli												
\/ahia	41 Ravalli		Ma	del Ye		Licen		ensville P	Rated Cap		****		
venic	le I.D. # (VIN) - Entire Number		IVIO	dei re	aı	Licen	se #	'	Rated Cap	acity			
	1HVLPCEP0JH533611 1988						U410				72		
Chas	sis Make			В	Body Mal	ке		Bus Type: (see? for d	efini	tion)		
International						DI.	ebird	\Box A \Box	В	С	\Box D		
Whee	Chair Lift Equipped?	Whe	el Chair	Lift Ed	quipped?		iebii u						
							a Fasina - Id N	- 4 A l' l-	1-				
☐ Ye			orwar				<u>-</u>	ot Applicab					
Type	of Fuel:	Is B	us:	Distric	ct Owned	C	ontractor Owned If co	ontractor owner	ed, contrac	tor's	name i	is:	
\Box G	as 🗹 Diesel 🗌 Other					ı	Harlows School I	Bus Servic	e				
		J			INCDE	CTION	114110110000110011	240 00: 110					
		TC	D BE FIL	LED (_		GHWAY PATROL						
	This		ion is fo			t semes		ster					
			Appr				_				App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			es	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		а			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18 C10	Head lamps Color					C18	Interior lamps Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						+
C18	Red amber signals - front					C9 Aisle							
C18	Marker lamps - front					C22 Tools - storage							
C18	Windshield					C24 Windows							
C24	Windshield wipers					C13	C13 Warning device						
C20	Exterior mirrors					C13	Buzzer emergency d	oor					
C3	Battery Generator or alternator					C12	Emergency door	****					
C11	Service door					C18	Red amber signals - Turn signal lamps - re						+
C6	Head lamp indicator					C18	Stop lamps	zai					1
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear Fire extinguisher (5 lbs)					C7	Tires (2/32" rear - 4/3 Cleanliness	32" front min.)					
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						+
C11	Defroster						Required by forest	egulation:					
C6	Heaters						Shovel (securely fast	_					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									arby	driver.		
		DaSe0	i on ongin	аі сара	iony iisted	on the M	anuraciurers certification	ay iouliu Iliside	u IC DUS.				
	st inspection, this bus is:						einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Insped	eting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No	Date				Badge	e No		Da	te			
Signa	ure of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Stevensville Public Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1FDPJ75PSLVA05112 495 1990 60 Bus Type: (see ? for definition) Chassis Make Body Make \square A □В ✓ C \Box D **Ford Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: ☐ Gas Diesel Other **INSPECTION** TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved

Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attached				
C18	Head lamps					C18	Interior lamps				
C10	Color					C18	Ceiling - interior				
C18	Turn signal lamps - front					C21	Seating				
C18	Turn signal lamps - side (post 1987)					C14	Floor				
C18	Red amber signals - front					C9	Aisle				
C18	Marker lamps - front					C22	Tools - storage				
C18	Windshield					C24	Windows				
C24	Windshield wipers					C13	Warning device				
C20	Exterior mirrors					C13	Buzzer emergency door				
C3	Battery					C12	Emergency door				
C4	Generator or alternator					C18	Red amber signals - rear				
C11	Service door					C18	Turn signal lamps - rear				
C6	Head lamp indicator					C18	Stop lamps				
C6	Horn					C18	Marker lamps - rear				
C20	Interior mirror					C19	Strobe light - rear ***				
C6	Speedometer					C17	Identification - rear				
C2	Brakes					C4	Exhaust system (no leaks)				
C21	Driver seat belt					C5	Fuel tank				
C7	Steering gear					C7	Tires (2/32" rear - 4/32" front min.)				
C13	Fire extinguisher (5 lbs)						Cleanliness				
C13	First aid kit					C22	Stop arm				
C13	Body fluids kit					C5	No trailer hitch				
C11	Defroster						Required by forest regulation:				
C6	Heaters						Shovel (securely fastened)				
C20	Wheelchair forward facing (post 1993)						Axe (securely fastened)				

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver. **Does not apply. ***New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:					
Approved		Approved					
Not Approved		Not Approved					
Inspecting Patrol Officer:		Inspecting Patrol Officer:					
Badge No.	Date	Badge No.	Date				
Signature of District Official		Date					



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

nignw	ay Patrol as soon as all defects are correc	iea.											
	actions to OPI from School District s bus has been sold, retired, or is no longe		vice. Ple	ase (delete it fr	om OPI'	s records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the erro	or, O	PI may n	eed to re	ead it to make the corre	ection.					
OPI C	County # and County Name					Distri	District Name						
	41 Ravalli						Stev	ensville					
Vehic	le I.D. # (VIN) - Entire Number		Mod	lel Y	ear	Licen	se #		Rated C	Capacity	/ ****		
1BABMC7A7MF046967 1991						459				88			
Chass	1BABMC7A7MF046967 sis Make			_	Body Mal	1	409	Rus Tyne	e: (see ? f	or defin			
Cilas	ois ware				Dody Mai	NG.			•		,		
	Bluebird					Blu	ebird	\Box A	□В	□с	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	?							
□ Ye	es 🗹 No	☐ F	orward	l Fa	cing	☐ Aisl	e Facing 🔽 N	ot Applic	able				
Type	of Fuel:	Is B	us: 🗸	Distr	ict Owned	J C	ontractor Owned If co	ontractor ov	vned, con	tractor's	name	is:	
\square G	as 🗹 Diesel 🗌 Other												
						CTION							
	-				_		GHWAY PATROL						
	This	inspect	ion is for		1s	t semes	ter 🗹 2nd semes	ster					
Dogo	Items listed in the Standards	Voc	Appro		Corr	Dogo	Items listed in	the Ctanda	rdo	Voc		roved	Corr
Page No.*	for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	for School Bus			Yes	No	NA **	Con
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps	1				C18	Interior lamps				1	1	1
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	ÿ			↓	↓	<u> </u>	
C18	Windshield					C24	Windows				<u> </u>		
C24	Windshield wipers	1				C13	Warning device			ļ	├	+	_
C20	Exterior mirrors Battery				+	C13	Buzzer emergency do Emergency door	oor			 	+-	+
C4	Generator or alternator					C12	Red amber signals -	rear			+	+	-
C11	Service door					C18	Turn signal lamps - re				+	+	+
C6	Head lamp indicator					C18	Stop lamps	-			†	1	
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank				↓	↓	<u> </u>
C7	Steering gear	-				C7	Tires (2/32" rear - 4/3	2" front mil	n.)		₩	↓	+
C13	Fire extinguisher (5 lbs)					C22	Cleanliness				 	 	-
C13	First aid kit Body fluids kit	+				C22	Stop arm No trailer hitch			1	┼──	+	+
C11	Defroster Defroster					03	Required by forest r	equiation:			+	+	+
C6	Heaters						Shovel (securely fast				1	+	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene				†	1	
*Page ni	umber reference, Standards for School Buses in not apply. ***New buses ordered after 08/15/02.**						equired to wear lap/should	der belts - cu			driver.		
	rst inspection, this bus is:					l	einspection, this bus	ıs:					
	Approved Not Approved						Approved Not Approved						
	cting Patrol Officer:						• •						
Badge		Date				Inspecting Patrol Officer: Badge No Date							
	ture of District Official					Date							
Signature of District Official Date													



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

	ay Patrol as soon as all defects are correct		11 20-10-	101, 1	ICA. AII	vernicie	s not approved on ms	i irispection n	iust be reiris	Jecled Dy	/ tile	
Instru	ctions to OPI from School District:											
	s bus has been sold, retired, or is no longe		rice. Ple	ase de	elete it fr	om OPI	's records.					
☐ Ple	ase make corrections noted below. Don't	black ou	it the err	or, OF	l may ne	eed to re	ead it to make the corr	ection.				
OPI County # and County Name				Distri	ct Name							
44 Davelli						Ctov	onovillo D	ublia Cab	la.			
Vehic	41 Ravalli le I.D. # (VIN) - Entire Number		Mod	del Ye	ar	Licen		ensville P	Rated Capac			
Verilo	Volloid I.B. II (VIII) Etillio Hallissi.					Licen	3 C #		rateu Capat	ity		
1BABMC7A5WF080277 1998							388			78		
Chassis Make Body Ma						ке		Bus Type:	(see ? for de	finition)		
	Bluebird					Blu	ebird	\Box A \Box	В 🗆 С	✓ D)	
Whee	Chair Lift Equipped?	Whe	el Chair	Lift Ed	quipped?							
□ Ye	es 🗹 No		orward	d Fac	ina	Δiel	e Facing ☑ N	ot Applicat	مام			
	of Fuel:									rla nama	ior	
		IS DI	us. 🗸	DISTIIC	t Owned	C	ontractor Owned If co	ontractor own	ea, contracto	i s name	IS.	
G	as 🗹 Diesel 🗌 Other											
					INSPE	CTION						
		TC	BE FIL	LED (OUT BY	THE HI	GHWAY PATROL					
	This	inspect	ion is for	:	1s	t semes	ster 🗸 2nd seme	ster				
		ı	Appro						T		oroved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			No	NA **	Corr
C17	Identification - front				+	C34	Belt cutter **** attach		a			
C18	Head lamps				+	C18	Interior lamps	<u></u>				
C10	Color					C18	Ceiling - interior					
C18	Turn signal lamps - front					C21	Seating					
C18	Turn signal lamps - side (post 1987)					C14 Floor						
C18	Red amber signals - front					C9 Aisle						
C18	Marker lamps - front				+	C22 Tools - storage C24 Windows					-	
C18 C24	Windshield Windshield wipers				+	C24 Windows C13 Warning device						
C20	Exterior mirrors				+	C13	Buzzer emergency de	oor				
C3	Battery				1	C12	Emergency door					
C4	Generator or alternator					C18	Red amber signals -	rear				
C11	Service door					C18	Turn signal lamps - re	ear				
C6	Head lamp indicator					C18	Stop lamps					
C6 C20	Horn Interior mirror				+	C18 C19	Marker lamps - rear Strobe light - rear ***					
C6	Speedometer				+	C17	Identification - rear					+
C2	Brakes					C4	Exhaust system (no l	eaks)				
C21	Driver seat belt					C5	Fuel tank					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				
C13	Fire extinguisher (5 lbs)						Cleanliness					
C13	First aid kit				-	C22	Stop arm					
C13	Body fluids kit Defroster				+	C5	No trailer hitch Required by forest r	ogulation:				-
C6	Heaters				+		Shovel (securely fast					+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					
*Page ni	umber reference, Standards for School Buses in N						equired to wear lap/shoul	der belts - cutte		rby driver.	•	•
Does r	ot apply. *New buses ordered after 08/15/02.**	***Based	l on origin	al capa	city listed	on the m	anufacturers certification t	tag found inside	the bus.			
On fi	st inspection, this bus is:		`		`	On re	inspection, this bus	is:				
	Approved						Approved					
	Not Approved						Not Approved					
Insped	ting Patrol Officer:					Inspe	cting Patrol Officer:					
Badge	No.	Date				Badge	e No.		Date			
	ure of District Official	_				Date						
Signature of District Official												



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. ☐ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
	County # and County Name						ct Name						
	44 Davelli						Ctour	والليومو	Dublic (Cabla			
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ar	Licen		ensville	Rated C		****		
Verilo	, ,		IVIOC	201 10	zai	LICCII	3C #		realed C	apacity			
	1BABMC7A5XF080278			199			265	D T	, ,,		84		
Chas	sis Make				Body Mak	æ		, ,	e: (see ? fo				
	Bluebird					Blu	ebird	\Box A	В	□С	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?								
□ Ye	es 🗹 No	□F	orward	d Fa	cing [☐ Aisl	e Facing 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	ıs: 🗸	Distri			ontractor Owned If co			ractor's	name	is:	
□G	as ☑ Diesel ☐ Other												
	as E Diesei — Other												
		то	DE EII	ı ED		CTION	GHWAY PATROL						
	This	inspecti				t semes		ster					
	11110	Порсоц	Appro		13	Como	2110 301110	3101			App	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes		NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach						
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield				-	C24	Windows						<u> </u>
C24 C20	Windshield wipers Exterior mirrors					C13	Warning device	oor					-
C20	Battery					C12	Buzzer emergency do Emergency door	JUI				1	1
C4	Generator or alternator				+	C18	Red amber signals -	rear					+
C11	Service door					C18	Turn signal lamps - re						
C6	Head lamp indicator					C18	Stop lamps					1	†
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mir	า.)				
C13	Fire extinguisher (5 lbs)					COO	Cleanliness						
C13	First aid kit Body fluids kit				+	C22 C5	Stop arm No trailer hitch						1
C11	Defroster Defroster					C3	Required by forest r	equiation:				1	1
C6	Heaters						Shovel (securely fast					1	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
*Page n	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**						equired to wear lap/should	der belts - cu		d nearby	driver.		
	st inspection, this bus is: Approved						einspection, this bus Approved	ıs.					
	Approved Not Approved						Not Approved						
	• •						• •						
Badge	eting Patrol Officer:	Date				Inspecting Patrol Officer: Badge No. Date							
	ture of District Official	- 410				Date				- 410			
oigna	are or pistrict official					Date							
											TR-1	3 Revise	ed 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highway Patrol as soon as all defects are corrected.													
	ections to OPI from School District:												
	s bus has been sold, retired, or is no longe							raction					
Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name													
0	•												
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ar	Licen		ensville					
venic	ie i.D. # (VIIV) - Entille Nambel		IVIO	uerre	aı	Licen	se # Raied		Kaleu C	red Capacity *****			
	1HVLPCEP9JH533610			198			389	D T	, ,,	1.0	72		
Chas	sis Make				Body Mal	ке			e: (see ? fo				
	International						ebird	\Box A	□В	✓ C	\sqcup D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?)							
□ Ye	es 🗹 No		orward	d Fac	cing	☐ Aisl	e Facing 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	ıs: 🗸	Distri	ct Owned	I C	ontractor Owned If co	ontractor ov	vned, cont	tractor's	name	is:	
□G	as ☑ Diesel ☐ Other												
					INSPE	CTION							
					_		GHWAY PATROL						
	This	inspecti			1s	t semes	ter 2nd seme	ster			A n.n	round	
Page	Items listed in the Standards	Yes	Appr No	ovea NA	Corr	Page	Items listed in	the Standa	rds	Yes	App No	roved NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus					**	
C17	Identification - front					C34	Belt cutter **** attach	ned					
C18	Head lamps				+	C18	Interior lamps						
C10 C18	Color Turn signal lamps - front				+	C18 C21	Ceiling - interior Seating					 	
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front				+	C9	Aisle				1	 	+
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn						Marker lamps - rear						
C20 C6	Interior mirror Speedometer						Strobe light - rear *** Identification - rear						
C ₂						C17	Exhaust system (no l	looks)					
C21	Brakes Driver seat belt				+	C5	Fuel tank	eaks)			 	1	<u> </u>
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	n)				
C13	Fire extinguisher (5 lbs)					0,	Cleanliness) <u> </u>	1.)				
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest i	regulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
	est inspection, this bus is:						inspection, this bus	_					
	Approved						Approved						
	Not Approved						Not Approved						
	cting Patrol Officer:						cting Patrol Officer:						
Badge No. Date Badge No. Date													
	ture of District Official					Date							
Jigila	and or product official					Jule							



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BAAGCSA2NF047181** 1992 L161 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Date

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMBXAIJFO79562 1988 P426 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ✓ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BABMBXA0LF034975** 1990 L157 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ✓ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDHG3AJ3J4519146 1988 L162 Bus Type: (see ? for definition) Chassis Make Body Make $\mathbf{Z} \mathsf{A} \square \mathsf{B} \square \mathsf{C}$ \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAAHCSHGLFO37874 1990 F191 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BAB1CMA1FF067989 1985 L169 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BAAHCSH9LF038274 1990 L154 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correct	ed.		- ,									
	ictions to OPI from School District:		·		-1-1-216	OD!	la manada						
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. ☐ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
	County # and County Name	DIACK OC	it the en	101, 01	Tillay III	District Name							
41 Ravalli					Uэ	milton K-	12 Sch	oole					
Vehicle I.D. # (VIN) - Entire Number Model Year				Licen			Rated C		, ****				
	, ,			400			1.450			. ,			
Chass	1BAAHCSH5MF046129 sis Make			199	Body Mal	(A	L153	Bus Type	· (see ? fo	r defin	71		
Cilas					ouy iviai	\C					,		
	Bluebird						ebird	□ A [В	С	✓ D		
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift E	quipped?	,							
☐ Ye	es 🗹 No	☐ F	orwar	d Fac	ing	Aisl	e Facing 🛮 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	us:	Distric	ct Owned	Co	ontractor Owned If co	ontractor ow	ned, cont	ractor's	name	is:	
□G	as ☑ Diesel ☐ Other						M S Transpo	rtation					
					INSPE	CTION	iii o rranope	rtation					
		TC	BE FI	LLED (GHWAY PATROL						
	This	inspect	ion is fo	r:	1s	t semes	ter 🗹 2nd seme	ster					
		T		roved	1-							roved	1_
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		iiiu			+	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9 C22	Aisle storage						
C18	Marker lamps - front Windshield					C24	Tools - storage Windows					 	
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				ļ	
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear					-	
C20	Interior mirror						Strobe light - rear ***						
C6	Speedometer						Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min	1.)				
C13	Fire extinguisher (5 lbs)					000	Cleanliness					-	
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch						
C11	Defroster					00	Required by forest	regulation:				 	
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									d nearby	driver.		
	est inspection, this bus is:			-			inspection, this bus						
	Approved						Approved						
Not Approved						Not Approved							
Inspec	cting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge	No.	Date				Badge	· No.			Date			
	ture of District Official					Date	·						



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

nignw	Highway Patrol as soon as all defects are corrected.												
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
☐ Ple	ase make corrections noted below. Don't	black ou	at the erro	or, OF	PI may ne	ed to re	ead it to make the corr	ection.					
OPI County # and County Name				District Name									
41 Ravalli					Har	milton K-	12 Sch	ools					
Vehic	le I.D. # (VIN) - Entire Number		Mod	el Ye	ear	Licen	se #		Rated C	Capacity	*****		
	1BAAHSCH1HFO46130			199	11		L152				71		
Chas	sis Make				Body Mak	ie.	LIJZ	Bus Type	: (see ? f	or defin			
0					zou, ma				•		,		
	Bluebird						ebird	□ A	_ В	□с	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?								
☐ Ye	es 🗹 No	☐ F	orward	Fac	cing [☐ Aisl	e Facing 🛮 🗹 N	ot Applica	able				
Туре	of Fuel:	Is B	us: 🔲 I	Distri	ct Owned	✓ C	ontractor Owned If co	ontractor ow	ned, con	tractor's	name	is:	
□G	as ☑ Diesel ☐ Other						M C Tronono						
							M S Transpo	rtation					
		т.	. DE EU		_	CTION	CLIMAN DATECT						
	Thio						GHWAY PATROL ster ✓ 2nd seme:	otor					
	This	inspeci	ion is for: Appro		18	t semes	ster 💌 zna semes	ster			Δnn	roved	
Page	Items listed in the Standards	Yes	- ''-	NA	Corr	Page	Items listed in	the Standa	rds	Yes	Nο	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus					**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior					<u> </u>	
C18	Turn signal lamps - front					C21	Seating					 	
C18	Turn signal lamps - side (post 1987)					C14 C9	Floor					 	+
C18	Red amber signals - front Marker lamps - front					C22	Aisle Tools - storage					+	+
C18	Windshield					C24	Windows					1	+
C24	Windshield wipers					C13	Warning device					1	†
C20	Exterior mirrors					C13	Buzzer emergency do	oor				1	1
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				↓	
C6 C6	Head lamp indicator Horn	<u> </u>	-			C18 C18	Stop lamps Marker lamps - rear			<u> </u>		↓	
C20	Interior mirror	 	-			C19	Strobe light - rear ***			<u> </u>		+	+
C6	Speedometer	 				C17	Identification - rear			1		+	+
C2	Brakes					C4	Exhaust system (no l	eaks)				1	†
C21	Driver seat belt					C5	Fuel tank	,				1	1
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm					↓	
C13	Body fluids kit					C5	No trailer hitch					∔ —	
C11 C6	Defroster Heaters						Required by forest r Shovel (securely fast					+	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					+	+
	umber reference, Standards for School Buses in N	Montana ((2002 Editi	on). *	***Bus driv	ers are r	\ /	,	ter attache	d nearby	driver.		
	not apply. ***New buses ordered after 08/15/02.**												
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
Not Approved				Not Approved									
Insped	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Da-I-	No	Dete								Dete			
Badge		Date					e No			Date _			
Signa	ture of District Official					Date							

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	Highway Patrol as soon as all defects are corrected.												
Thi	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Please make corrections noted below. Don't black out the error, OPI may need OPI County # and County Name				eed to read it to make the correction. District Name									
·				Diotri									
	41 Ravalli							milton K-					
Vehicle I.D. # (VIN) - Entire Number Model Year			Licen	se #		Rated C	Capacity	/ ****					
	1BAAKCSH4MFO46141			199)1		L156				78		
Chas	sis Make				Body Mal	е		Bus Type	: (see ? f	or defin			
	 .				•			□A	□ B [□с	✓ D		
Who	Bluebird el Chair Lift Equipped?	\//bo	ol Chair	r I ift E	quipped?		ıebird						
☐ Ye	es 🗹 No		orwar	d Fac	cing	_ AisI	e Facing 🔛 N	ot Applica	able				
Туре	of Fuel:	Is B	ıs:	Distri	ct Owned	l ✔ C	ontractor Owned If co	ontractor ov	vned, con	tractor's	name	is:	
□G	as ☑ Diesel ☐ Other						M S Transpo	rtation					
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect			1s	t semes	ster 2nd seme	ster					
D	the sea l'atent in the Oten dende	17		roved	10	D	I Brance Parent Se	the Oterale				roved	10
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach						
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do Emergency door	oor					
C4	Battery Generator or alternator					C12	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re						
C6	Head lamp indicator					C18	Stop lamps	-					
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank	2011 ()					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	Դ.)			<u> </u>	
C13	Fire extinguisher (5 lbs) First aid kit					C22	Cleanliness Stop arm				1		
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster					00	Required by forest r	regulation:					
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**										driver.		
	rst inspection, this bus is:						einspection, this bus						
	Approved						Approved						
Not Approved					Not Approved								
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
	Badge No. Date				Badge				Date				
	ture of District Official	Date				Date				Date_			
Signa	ture of District Official					Date							



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BABMBXA9KFO30888 1989 L158 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ✓ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXXX1567 1983 L155 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



C20

Wheelchair forward facing (post 1993)

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Hamilton K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BAANCSH1DF054175** 1993 L159 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other M S Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened)

On first inspection, this bus is:

Approved
Not Approved
Not Approved
Inspecting Patrol Officer:

Badge No.
Date

Badge No.
Date

Date

Date

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

Axe (securely fastened)

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Victor K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDL6P1F2LV514071 1990 L211 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

On first inspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.

Date
Badge No.

On reinspection, this bus is:

Approved
Inspection Patrol Officer:

Badge No.

Date
Badge No.

Date

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

Badge No. District Official

Date

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Victor K-12 Schools 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1FXMV501747 1991 **TEMP** Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Travels Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Victor K-12 Schools** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDJ6P1F7GV520090 1986 L202 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected

riigiiw	ay Fatioi as soon as all delects are correc	tou.											
Instru	ictions to OPI from School District	:											
_	s bus has been sold, retired, or is no longe												
Ple	ase make corrections noted below. Don't	black ou	it the err	or, OF	PI may ne	eed to read it to make the correction.							
OPI C	County # and County Name					District Name							
	41 Ravalli						V	ictor K-1	2 Scho	ole			
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ar	Licen		ICIOI K-12	Rated 0		/ ****		
VCITIC	ic i.b. # (Viiv) - Little ivalibei		IVIO	JC1 1 C	ai	Liccii	30 π		raica	Japacity			
1GDJ6P1F3EV521444 1984						L203				66			
Chassis Make Body Ma					Body Mal	ке		Bus Type	: (see ? f	or defin	ition)		
	GMC					Th	omas	\Box A	□ B [✓ C	\Box D		
Wheel Chair Lift Equipped? Wheel Chair Lift Equippe							omas						
	• • • •						- Fi	-4 A I'	-1-1-				
☐ Yes ☑ No ☐ Forward Facing								ot Applica					
Туре	of Fuel:	Is B	us:	Distri	ct Owned	✓ C	ontractor Owned If co	ontractor ow	med, con	tractor's	name	is:	
□G	as 🗹 Diesel 🗌 Other						L & B Busir	na. Inc					
					INSDE	CTION		21,					
		т	BE FIL	LED			GHWAY PATROL						
	This		ion is for			t semes	-	ster					
			Appro				_				App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standar	ds	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		ına			**	
C17	Identification - front					C34	Belt cutter **** attach	ed				<u> </u>	
C18	Head lamps					C18	Interior lamps					<u> </u>	+
C10	Color					C18	Ceiling - interior			1		+	+
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)	-				C21 C14	Seating Floor					+	+
C18	Red amber signals - front					C9 Aisle					+	+	
C18	Marker lamps - front					C22 Tools - storage					+	+	
C18	Windshield		C24 Windows										
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door					<u> </u>	
C4	Generator or alternator					C18	Red amber signals -					 	
C11	Service door					C18	Turn signal lamps - re	ear		1		+	+
C6 C6	Head lamp indicator Horn	-				C18 C18	Stop lamps Marker lamps - rear					+	+
C20	Interior mirror					C19	Strobe light - rear ***					+	+
C6	Speedometer					C17	Identification - rear			1		1	+
C2	Brakes					C4	Exhaust system (no l	eaks)				1	1
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	1.)				
C13	Fire extinguisher (5 lbs)						Cleanliness					↓	
C13	First aid kit					C22	Stop arm					∔ —	+
C13	Body fluids kit Defroster					C5	No trailer hitch Required by forest r	ogulation				 	+
C6	Heaters						Shovel (securely fast					+	+
	Wheelchair forward facing (post 1993)						Axe (securely fastene	,				+	+
*Page ni	umber reference, Standards for School Buses in						equired to wear lap/shoul	der belts - cut			driver.		
Does r	not apply. *New buses ordered after 08/15/02.*	****Based	l on origin	al capa	acity listed	on the m	anufacturers certification	tag found insi	de the bus				
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Insped	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	a No	Date				Badge No Date							
	ture of District Official	Date				Date	. 110.			Date			
orgina	ui e vi pisti ict Viliciai					Pale							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Highw	ay Patrol as soon as all defects are correct	ted.	. 20 . 0	,						. ооро	0100 2)		
	actions to OPI from School District: s bus has been sold, retired, or is no longe		ice. Ple	ase d	elete it fr	om OPI	's records.						
	ease make corrections noted below. Don't												
OPI C	County # and County Name					District Name							
	41 Ravalli					Victor K-12 Schools							
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen		ictor K-1	Rated C		, ****		
	, ,												
Chan	1GDL6P1F2HV531766 sis Make			198			L184	Rue Type	e: (see ? fo	or dofini	72		
Chas	sis iviakė			'	Body Mak	i.e			•				
	Bluebird	1					ther	\Box A	В	✓ C	\sqcup D		
Whee	el Chair Lift Equipped?	Whee	el Chair	Lift E	quipped?								
☐ Yes ☑ No ☐ Forward Facing					☐ Aisl	e Facing 🛮 🗹 N	ot Applica	able					
Type of Fuel: Is Bus: District Owner					ct Owned	✓ C	ontractor Owned If co	ontractor ov	vned, cont	tractor's	name	is:	
☐ Gas ☑ Diesel ☐ Other							Majestic Trav	als Inc					
					INCDE	CTION	majestie irav	CIS IIIC.					
		то	BE FIL	LED			GHWAY PATROL						
	This	inspecti	on is for	:	☐ 1s	t semes	ster 🗹 2nd semes	ster					
			Appro	oved							Арр	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)				-	C14	Floor						1
C18	Red amber signals - front Marker lamps - front					C9 C22	Aisle storage						
C18	Windshield				+	C24	Tools - storage Windows					1	1
C24	Windshield wipers				+	C13	Warning device					1	
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery				+	C12	Emergency door					1	†
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer				-		Identification - rear	1 \					1
C2	Brakes Driver seat belt					C4	Exhaust system (no l	eaks)					
C21	Steering gear				+	C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front mir	2)			1	1
C13	Fire extinguisher (5 lbs)				+	01	Cleanliness	2 11011111111	1.)				+
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge		Date				Badge No. Date							
Signa	ture of District Official					Date							
											TR-1	3 Revise	ed 11/04



Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Victor K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1F4LV514069 1990 L210 66 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D **Bluebird** Other Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:					
Approved		Approved					
Not Approved		Not Approved					
Inspecting Patrol Officer:		Inspecting Patrol Officer:					
Badge No.	Date	Badge No.	Date				
bauge No.	Date	Bauge No.	Date				
Signature of District Official		Date					

C22

C5

Fuel tank

Stop arm

Cleanliness

No trailer hitch

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Darby K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1BABNB0A84F215718 2004 775 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas Diesel ✓ Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

	Highway Patrol as soon as all defects are corrected.												
Instru	Instructions to OPI from School District:												
	☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Ple	ase make corrections noted below. Don't	black ou	ut the er	ror, OF	l may n	eed to re	ead it to make the corr	ection.					
OPI C	County # and County Name					District Name							
	44 Develli					Destruit de O. I I.							
Vehic	le I.D. # (VIN) - Entire Number		Mc	odel Ye	ar	Licen		arby K-12 Scho	OOIS Capacity	, ****			
Verilo	ie i.b. # (viiv) - Littire Number		IVIC	Juei ie	aı	Licen	5 C #	Nateu	Сараспу	/			
	1BABNBKAX6F232486			200			831			84			
Chas	sis Make			E	Body Ma	Bus Type: (see ? for definition)							
	Bluebird					Blu	ebird	\Box A \Box B	\Box C	✓ D			
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped'			I					
☐ Ye	es 🗹 No	$ \Box $	orwar	d Fac	ina	Δisl	e Facing ☑ N	ot Applicable					
	of Fuel:						ontractor Owned If co		ntractor's	nomo i	· ·		
		19 01	us. 🔻	DISTIL	Cownec		ontractor Owned in co	ontractor owned, co	illiacioi s	i ilaille i	5.		
\Box G	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
	TO BE FILLED OUT BY THE HIGHWAY PATROL												
	This inspection is for: ☐ 1st semester ✓ 2nd semester												
Doss	Itama liated in the Ctandards	Voc	Appi No	roved	Corr	Dooo	Items listed in	the Ctanderde	Vaa	App No	roved	Corr	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	INO	NA **	Corr	Page No.*	for School Bus		Yes	INO	NA **	Con	
C17	Identification - front				1	C34	Belt cutter **** attach	ied	+			1	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18 Ceiling - interior							
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)	<u> </u>			-	C14	Floor		-			<u> </u>	
C18	Red amber signals - front Marker lamps - front					C9 C22	Aisle Tools - storage		-			1	
C18	Windshield				+		C24 Windows		+	 		1	
C24	Windshield wipers					C13 Warning device							
C20	Exterior mirrors					C13 Buzzer emergency door							
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -			<u> </u>			
C11 C6	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				-	
C13	Fire extinguisher (5 lbs) First aid kit					C22	Cleanliness Stop arm		_			-	
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest	regulation:				1	
C6	Heaters						Shovel (securely fast						
	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**									driver.			
		Dasel	. o., ongli	.а. оара	ony noteu								
	st inspection, this bus is:						einspection, this bus	is:					
	Approved Not Approved						Approved Not Approved						
	cting Patrol Officer:						cting Patrol Officer:						
mspec	ung i autoi Omicei.					mspec	cang ratio Officer.						
Badge	No	Date				Badge	e No		Date				
Signa	ture of District Official					Date							
						1							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correc	ted.											
	actions to OPI from School District s bus has been sold, retired, or is no longe	-	rice. Ple	ase d	elete it fr	om OPI	's records.						
	ase make corrections noted below. Don't	black ou	it the err	or, OF	PI may ne	T							
OPIC	County # and County Name					District Name							
	41 Ravalli						D	arby K-1					
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se#		Rated C	Capacity	*****		
	1BABNB0A51F097705			200)1		3652				72		
Chas	sis Make				Body Mal	ке		Bus Type	e: (see ? fo	or defini			
	Dluchied					DI.	ahird	\square A	□в [□с	✓ D		
Whee	Bluebird el Chair Lift Equipped?	Whe	el Chair	Lift F	quipped?		ıebird						-
							o Fooine	at Annlia	ماماه				
9								ot Applica					
• •	of Fuel:	IS BI	JS: 🗸	DISTRI	ct Owned	ı	ontractor Owned If co	ontractor ov	vnea, con	tractors	name	S:	
□G	as ☑ Diesel ☐ Other												
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	r:	1s	t semes	ster 2nd seme	ster					
D	Harris Patadia tha Otandanda	Ty	Appr		10	D	I Borne Percel Se	the Oterate		1./		roved	10
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					+	+
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14 Floor						Ļ	
C18	Red amber signals - front					C9 Aisle C22 Tools - storage						Ь—	
C18	Marker lamps - front Windshield					C24 Windows					├	_	
C24	Windshield wipers					C13 Warning device					\vdash	+	
C20	Exterior mirrors	1				C13	Buzzer emergency de	oor				+	+
C3	Battery					C12	Emergency door	-				 	+
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear					Ļ	
C20	Interior mirror	<u> </u>			_	C19	Strobe light - rear ***					┼	
C6 C2	Speedometer Brakes	1			-	C17	Identification - rear Exhaust system (no I	oaks)				+-	+
C21	Driver seat belt					C5	Fuel tank	cans)				+	+
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	n.)				+
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch					ــــــ	
C11	Defroster						Required by forest r					₩	
C6	Heaters Wheelsheir forward feeing (post 1992)						Shovel (securely fast	,				├─	_
*Page n	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in	Montana (2002 Edit	tion) *	***Bus driv	vers are i	Axe (securely fastene	,	tter attache	d nearby	driver		
	not apply. ***New buses ordered after 08/15/02.*										anvoi.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge		Date											
		Date				_	5 14U.			Date			
Signa	ture of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Trightway Fation as sour as all defects are corrected.													
Instru	Instructions to OPI from School District:												
Thi	s bus has been sold, retired, or is no longe	r in serv	ice. Ple	ase	delete it fr	om OPI	's records.						
Ple	ase make corrections noted below. Don't	black ou	ut the erro	or, C	PI may ne	eed to read it to make the correction.							
OPI (County # and County Name					District Name							
0	really walla evally realle					DISTRICT INCIDE							
	41 Ravalli						Da	arby K-12 Scho	ools				
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Y	'ear	Licen	se#	Rated	Capacity	/ ****			
	45												
	1BABNB0A3XF088557			19	99		615			84			
Chas	sis Make				Body Mal	се		Bus Type: (see ?	for defin	ition)			
	Bluebird					DI.	ebird	\square A \square B	\square C	✓ D			
Who	el Chair Lift Equipped?	Who	ol Chair	l if+ l	Equipped?		lebira						
☐ Yes ☑ No ☐ Forward Facing					acing	Aisl	e Facing 💆 No	ot Applicable					
Type of Fuel: Is Bus: ✓ District Own					rict Owned	ГС	ontractor Owned If co	ntractor owned, co	ntractor's	name	is:		
								,					
□G	as 🗹 Diesel 🗌 Other												
					INSPE	CTION							
		т	BE FIL	LED			GHWAY PATROL						
	This				_	t semes	_	eter					
This inspection is for: 1s Approved							Zild Scilles	otoi		Ann	roved		
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in t	he Standards	Yes	No	NA	Corr	
No.*	for School Buses in Montana	103	140	**	COII	No.*	for School Buse		103	110	**	0011	
C17	Identification - front	†				C34	Belt cutter **** attache			1	 	+	
C18	Head lamps					C18	Interior lamps	zu		1			
C10	Color					C18	Ceiling - interior						
						C21	Seating - Interior						
C18	Turn signal lamps - front					C14 Floor							
C18	Turn signal lamps - side (post 1987)	1										-	
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13 Warning device							
C20	Exterior mirrors					C13 Buzzer emergency door							
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no le	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min.)					
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely faste	ened)					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	d)					
*Page n	umber reference, Standards for School Buses in I	Montana	(2002 Edit	ion).	****Bus dri	vers are r	required to wear lap/should	ler belts - cutter attach	ned nearby	driver.	•	•	
Does r	not apply. *New buses ordered after 08/15/02.*	****Basec	d on origina	al cap	pacity listed	on the m	anufacturers certification to	ag found inside the bu	is.				
On fi	rst inspection, this bus is:					Onre	einspection, this bus	ie ·					
	Approved						Approved	13.					
	Not Approved						Not Approved						
	• •												
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badae	Badge No Date					Badge	e No		Date				
	ture of District Official					Date							
Signa	iure of District Official					Date							
						1							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correc	ted.												
	actions to OPI from School District s bus has been sold, retired, or is no longe	-	rice. Ple	ase d	elete it fr	om OPI	's records.							
	ase make corrections noted below. Don't	black ou	it the err	or, OF	PI may ne			ection.						
OPIC	County # and County Name					Distri	ct Name							
	41 Ravalli						D	arby K-1						
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se #		Rated C	Capacity	*****			
	1BABMC7A7NF049014			199	12		463				84			
Chas	sis Make		<u> </u>		Body Mak	е		Bus Type	: (see ? fo	or defini				
	Dluckied					DI	ahird	\Box A	□в [□с	✓ D			
Whee	Bluebird I Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?		ıebird							
							o Fooing	at Applia	ماماه					
☐ Ye			orward					ot Applica						
• •	of Fuel:	IS BI	JS: 🗸	DISTRIC	ct Owned		ontractor Owned If co	ontractor ow	/nea, cont	ractors	name	is:		
□G	as 🗹 Diesel 🗌 Other													
					INSPE	CTION								
					OUT BY	THE HI	GHWAY PATROL							
	This	inspect	ion is for	r:	1s	t semes	ster 2nd seme	ster						
D	the sea l'atant a tha Otanahanda	Ty	Appr		10	l D	I Borne Percel Se	the Oterate		1/		roved	10	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr	
C17	Identification - front					C34	Belt cutter **** attach					†	+	
C18	Head lamps					C18	Interior lamps							
C10	Color					C18	Ceiling - interior							
C18	Turn signal lamps - front					C21	Seating					<u> </u>		
C18	Turn signal lamps - side (post 1987)					C14	Floor					<u> </u>		
C18	Red amber signals - front					C9	Aisle					 		
C18	Marker lamps - front Windshield					C22 C24	Tools - storage Windows					_	_	
C18	Windshield wipers	1				C24	Warning device					┼──	+	
C20	Exterior mirrors					C13	Buzzer emergency de	oor				+	+	
C3	Battery					C12	Emergency door	-					+	
C4	Generator or alternator					C18	Red amber signals -	rear						
C11	Service door					C18	Turn signal lamps - re	ear						
C6	Head lamp indicator					C18	Stop lamps							
C6	Horn					C18	Marker lamps - rear					<u> </u>		
C20	Interior mirror	-				C19	Strobe light - rear ***					 	 	
C6 C2	Speedometer Brakes	1				C17	Identification - rear Exhaust system (no I	oake)				┼──	+	
C21	Driver seat belt					C5	Fuel tank	cans)				+	+	
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)				+	
C13	Fire extinguisher (5 lbs)						Cleanliness		,					
C13	First aid kit					C22	Stop arm							
C13	Body fluids kit					C5	No trailer hitch							
C11	Defroster						Required by forest r					<u> </u>		
C6	Heaters Wheelsheir forward feeing (neet 1993)	1					Shovel (securely fast	,				┼	+	
*Page n	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in	Montana (2002 Edit	tion) *	***Bus driv	/ers are i	Axe (securely fastene	,	tter attache	d nearby	driver	<u> </u>		
	not apply. ***New buses ordered after 08/15/02.*										anvoi.			
On fi	st inspection, this bus is:					On re	einspection, this bus	is:						
	Approved						Approved							
	Not Approved						Not Approved							
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:							
Badge		Date				Badge				Date				
		Date					5 14U.			Dale				
Signa	ture of District Official					Date								



Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Darby K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAANCSH8PF053444 1993 485 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C18 C6 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C22

C5

Fuel tank

Stop arm

Cleanliness

No trailer hitch

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correc	ted.										
Instru	ictions to OPI from School District	1										
Thi	s bus has been sold, retired, or is no longe	er in serv	vice. Ple	ease d	elete it fr	om OPI	's records.					
_	ase make corrections noted below. Don't							ection.				
OPI C	County # and County Name					Distri	ct Name					
	41 Ravalli						D	arby K-12 Scl				
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se#	Rate	ed Capacity	/ ****		
	1BAB1CLA6EF063905			198	2/		3751			84		
Chase	sis Make				Body Mal	(P	3731	Bus Type: (see	? for defin			
Ondo	Nake				Joay Mai							
	Bluebird						ıebird	□ A □ B	□с	✓ D		
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	•						
☐ Ye	es 🗹 No		orwar	d Fad	cina [☐ AisI	e Facing 🗹 N	ot Applicable				
	of Fuel:						ontractor Owned If co		contractor's	name	is.	
		15 5	uo. 🔻	Distri	or Owner		ontractor owned in oc	ontractor owned, t	Jonitiaotoi c	rianic		
\Box G	as 🗹 Diesel 🗌 Other											
					INSPE	CTION						
		TO	BE FII	LED	_	-	GHWAY PATROL					
	This	inspect	ion is fo	r:	☐ 1s	t semes	ster 🗹 2nd semes	ster				
			Appr	oved						App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in		Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus				**	
C17	Identification - front					C34	Belt cutter **** attach	ed				
C18	Head lamps		1		1	C18	Interior lamps				1	
C10	Color					C18 C21	Ceiling - interior					
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)	1	1		-	C21	Seating Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows					
C24	Windshield wipers					C13	Warning device					
C20	Exterior mirrors					C13	Buzzer emergency do	oor				
C3	Battery					C12	Emergency door					
C4	Generator or alternator					C18	Red amber signals -					
C11	Service door					C18	Turn signal lamps - re	ear				
C6 C6	Head lamp indicator Horn	1	<u> </u>		_	C18	Stop lamps Marker lamps - rear					
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					C17	Identification - rear					
C2	Brakes					C4	Exhaust system (no l	eaks)				
C21	Driver seat belt	1			1	C5	Fuel tank	· -,			1	1
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min.)				
C13	Fire extinguisher (5 lbs)						Cleanliness					
C13	First aid kit					C22	Stop arm					
C13	Body fluids kit					C5	No trailer hitch					
C11	Defroster						Required by forest r	-			-	
C6	Heaters		1		1		Shovel (securely fast				1	
*Page pi	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in	Montana	(2002 Edi	tion) *	***Buc driv	vore are i	Axe (securely fastene		school poorby	drivor		
	not apply. ***New buses ordered after 08/15/02.**									anver.		
	st inspection, this bus is: Approved						einspection, this bus Approved	is.				
	Not Approved						Not Approved					
	eting Patrol Officer:					Inche	cting Patrol Officer:					
maped						mape	oung i au oi Oilicei.					
Badge	No	Date				Badge	e No		Date			
Signa	ture of District Official					Date						



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

	actions to OPI from School District:														
	s bus has been sold, retired, or is no longer														
	ease make corrections noted below. Don't b	lack ou	it the err	or, O	PI may ne			ection.							
OPIC	County # and County Name					Distri	ct Name								
	41 Ravalli	41 Ravalli					Darby K-12 Schools								
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Y	ear	Licen		Rated	Capacity	/ ****					
	1BAB1CMA1CF055465			19	82		267			84					
Chas	sis Make				Body Mal	(e	207	Bus Type: (see ?	for defin	_					
					,			_ `` _`	□с	✓ D					
\A/I	Bluebird	T 14/1-	-1.01	1.70.5			ebird	□ A □ B		ע ט					
	el Chair Lift Equipped?				Equipped?		_								
✓ Y	es 🗌 No	✓ F	orward	l Fa	cing	_ Aisl	e Facing 🔲 No	ot Applicable							
Туре	of Fuel:	Is Bu	us: 🗸	Distr	ict Owned	_ C	ontractor Owned If co	ntractor owned, co	ntractor's	name i	s:				
□G	as ☑ Diesel ☐ Other														
					INIODE	OTION									
		тс) BE FII	I FD		CTION	GHWAY PATROL								
	This		ion is for			t semes		ter							
	11110	поросы	Appro			Comice	itor 💽 Zna somos	nto!		App	roved				
Page	Items listed in the Standards	Yes		NA	Corr	Page	Items listed in t	he Standards	Yes	No	NA	Corr			
No.*	for School Buses in Montana			**		No.*	for School Buse				**				
C17	Identification - front					C34	Belt cutter **** attache	ed							
C18	Head lamps					C18	Interior lamps								
C10	Color					C18	Ceiling - interior								
C18	Turn signal lamps - front					C21	Seating		1	ļ					
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 C9	Floor Aisle		-						
C18	Marker lamps - front					C22	Tools - storage		+	1					
C18	Windshield					C24	Windows								
C24	Windshield wipers					C13	Warning device								
C20	Exterior mirrors					C13	Buzzer emergency do	or	+	1					
C3	Battery					C12	Emergency door								
C4	Generator or alternator					C18	Red amber signals -	rear							
C11	Service door					C18	Turn signal lamps - re	ar							
C6	Head lamp indicator					C18	Stop lamps								
C6	Horn					C18	Marker lamps - rear								
C20	Interior mirror					C19	Strobe light - rear ***			<u> </u>					
C6 C2	Speedometer Brakes					C17	Identification - rear Exhaust system (no le	ooko)							
C21	Driver seat belt					C5	Fuel tank	eaks)	+	1					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min.)							
C13	Fire extinguisher (5 lbs)						Cleanliness		+	1					
C13	First aid kit					C22	Stop arm								
C13	Body fluids kit					C5	No trailer hitch								
C11	Defroster						Required by forest re	egulation:							
C6	Heaters						Shovel (securely faste	,							
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,	<u> </u>	<u> </u>					
	umber reference, Standards for School Buses in M not apply. ***New buses ordered after 08/15/02.***									driver.					
					-			_							
	rst inspection, this bus is: Approved						einspection, this bus in Approved	13.							
	Not Approved						Not Approved								
	cting Patrol Officer:					Inspe	cting Patrol Officer:								
-	-														
Badge		Date					e No		Date _						
Signa	ture of District Official					Date									



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

No.* for School Buses in Montana ** No.* for School Buses in Montana ** C17 Identification - front C34 Belt cutter **** attached C18 Interior lamps	
□ Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name	
OPI County # and County Name District Name District Name	
Vehicle I.D. # (VIN) - Entire Number	
Vehicle I.D. # (VIN) - Entire Number	
Vehicle I.D. # (VIN) - Entire Number	
Tobe Filled Outher No	
Chassis Make Bluebird A B C ✓ D Description Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Bluebird Bluebird Wheel Chair Lift Equipped? Forward Facing ☐ Aisle Facing ✓ Not Applicable Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: INSPECTION To BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Approved Fage Items listed in the Standards for School Buses in Montana Yes No No.* for School Buses in Montana The inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Approved Approved Corr Page Items listed in the Standards No.* for School Buses in Montana The inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Approved Approved Corr Page Items listed in the Standards No.* for School Buses in Montana Corr Page Items listed in the Standards No.* for School Buses in Montana Corr Page Items listed in the Standards No.* Items	
Chassis Make Bluebird A B C ✓ D Description Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Bluebird Bluebird Wheel Chair Lift Equipped? Forward Facing ☐ Aisle Facing ✓ Not Applicable Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: INSPECTION To BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Approved Fage Items listed in the Standards for School Buses in Montana Yes No No.* for School Buses in Montana The inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Approved Approved Corr Page Items listed in the Standards No.* for School Buses in Montana The inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Approved Approved Corr Page Items listed in the Standards No.* for School Buses in Montana Corr Page Items listed in the Standards No.* for School Buses in Montana Corr Page Items listed in the Standards No.* Items	
Bluebird Wheel Chair Lift Equipped? ☐ Yes	
Wheel Chair Lift Equipped? ☐ Yes	
Yes ✓ No Type of Fuel: Is Bus: ✓ District Owned Contractor Owned If contractor owned, contractor's name is: INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for: 1st semester ✓ 2nd semester Approved Approved Page Items listed in the Standards No.* Yes No NA Corr Page Items listed in the Standards for School Buses in Montana Yes No No.* C17 Identification - front C34 Belt cutter **** attached Interior lamps	
Type of Fuel: Gas Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for: Approved Page No.* For School Buses in Montana C17 Identification - front C18 Head lamps INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL Approved Approved Approved C34 Belt cutter **** attached C18 Interior lamps	
Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for:	
INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for:	
INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for:	
TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for: ☐ 1st semester ✓ 2nd semester Approved Approved Page Items listed in the Standards Yes No NA Corr Page No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA No.* for School Buses in Montana Yes No NA NO.* NO.* Items listed in the Standards Yes No NA NO.* Yes No NA NO.* Yes NO NA NO.* Yes NO NA NO.* Yes NO NA Yes NO NA Yes NO.* Yes NO NA Yes NO.* Yes NO NA Yes NO.* Yes Yes NO.* Yes Yes NO.* Yes Ye	
This inspection is for: Approved ** Corr Page No.* for School Buses in Montana ** C17 Identification - front C18 Head lamps C18 Interior lamps	
Approved Page Items listed in the Standards Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA No.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NA NO.* For School Buses in Montana Yes No NO.* For School Buses in Montana Yes No NO.* Yes Y	
Page No.* Items listed in the Standards for School Buses in Montana Yes No. No.* No. No.* Page No. No.* Items listed in the Standards for School Buses in Montana Yes No. No. No.* C17 Identification - front C34 Belt cutter **** attached C18 Head lamps C18 Interior lamps	-I
No.* for School Buses in Montana ** No.* for School Buses in Montana ** C17 Identification - front C34 Belt cutter **** attached C18 Interior lamps	
C18 Head lamps C18 Interior lamps	0011
C10 Color C18 Ceiling - interior	
C18 Turn signal lamps - front C21 Seating	
C18 Turn signal lamps - side (post 1987) C14 Floor	
C18 Red amber signals - front C9 Aisle	
C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows	+
C24 Windows C24 Windows C3 Warning device	_
C20 Exterior mirrors C13 Buzzer emergency door	_
C3 Battery C12 Emergency door	
C4 Generator or alternator C18 Red amber signals - rear	
C11 Service door C18 Turn signal lamps - rear	
C6 Head lamp indicator C18 Stop lamps	
C6 Horn C18 Marker lamps - rear	
C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear	
C6 Speedometer C17 Identification - rear C2 Brakes C4 Exhaust system (no leaks)	+
C21 Driver seat belt C5 Fuel tank	_
C7 Steering gear	
C13 Fire extinguisher (5 lbs) Cleanliness	
C13 First aid kit C22 Stop arm	
C13 Body fluids kit C5 No trailer hitch	
C11 Defroster Required by forest regulation:	
C6 Heaters Shovel (securely fastened)	
C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.	
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.	
On first inspection, this bus is: Approved On reinspection, this bus is: Approved	
Not Approved Not Approved	
Inspecting Patrol Officer: Inspecting Patrol Officer:	
Badge No Date Date Date	
Signature of District Official Date	



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.														
Instru	ictions to OPI from School District	1												
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.														
_	ase make corrections noted below. Don't							ection.						
OPI C	County # and County Name					District Name								
	41 Ravalli						D	arby K-1 <u>2</u> \$						
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se#	R	ated Capac	ity ****				
	1BABMC7A8RF061680			199	14		511			84				
Chas	sis Make				Body Mal	(e	311	Bus Type: (s	see ? for de	o4 ' for definition)				
Ondo	Nake				Joay Mai	.0				,				
	Bluebird						ıebird	□ A □	В 🗆 С	✓ D	<u> </u>			
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?	•								
☐ Ye	es 🗹 No		orwar	d Fad	cina [☐ Aisl	e Facing 🗹 N	ot Applicabl	le					
	of Fuel:						ontractor Owned If co			r's name	is:			
		15 5	uo. 🔻	Distri	or Owner		ontractor owned in oc	ontractor owne	a, contracte	i o namo	10.			
\Box G	as 🗹 Diesel 🗌 Other													
					INSPE	CTION								
		TO	BE FII	LED	OUT BY	THE HI	GHWAY PATROL							
	This	inspect	ion is fo	r:	1s	t semes	ster 🗹 2nd seme	ster						
			Appr	oved						App	proved			
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			No	NA	Corr		
No.*	for School Buses in Montana			**		No.*	for School Bus				**			
C17	Identification - front					C34	Belt cutter **** attach	ed						
C18	Head lamps		1		1	C18	Interior lamps				+			
C10	Color					C18 C21	Ceiling - interior							
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)		1		-	C14	Seating Floor				+			
C18	Red amber signals - front					C14	Aisle				-			
C18	Marker lamps - front					C22	Tools - storage				+			
C18	Windshield					C24	Windows				1			
C24	Windshield wipers					C13	Warning device							
C20	Exterior mirrors					C13	Buzzer emergency do	oor						
C3	Battery					C12	Emergency door							
C4	Generator or alternator					C18	Red amber signals -							
C11	Service door					C18	Turn signal lamps - re	ear						
C6 C6	Head lamp indicator Horn	1	<u> </u>		_	C18	Stop lamps Marker lamps - rear				┼			
C20	Interior mirror					C19	Strobe light - rear ***				+			
C6	Speedometer					C17	Identification - rear				+			
C2	Brakes					C4	Exhaust system (no l	eaks)			+			
C21	Driver seat belt	1			1	C5	Fuel tank	·· - /			+			
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front min.)						
C13	Fire extinguisher (5 lbs)						Cleanliness							
C13	First aid kit					C22	Stop arm							
C13	Body fluids kit					C5	No trailer hitch							
C11	Defroster						Required by forest r	_						
C6	Wheelsheir forward feeing (post 1902)	 	-	-	+	1	Shovel (securely fast				+-	+		
*Page pi	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in	Montana	(2002 Edi	tion) *	***Buc driv	vore are i	Axe (securely fastene		attached nea	rby drivor				
	not apply. ***New buses ordered after 08/15/02.**									by unver.				
	st inspection, this bus is: Approved						einspection, this bus Approved	13.						
	Not Approved						Not Approved							
Inspecting Patrol Officer:			Inene	cting Patrol Officer:										
mape	g . au 01 Om061.					mape	omig i andi Onicei.							
Badge	No	Date				Badge	e No		Date					
Signa	ture of District Official					Date								



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli Darby K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BABMBBA7VF072892** 1997 556 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highway Patrol as soon as all defects are corrected.														
	ictions to OPI from School District:		DI		1-1-216	OD!	la na annia							
	s bus has been sold, retired, or is no longe													
	County # and County Name	black ou	t the er	ror, OP	i may ne	eed to read it to make the correction. District Name								
,					01.140									
41 Ravalli					Lo	ne Rock	Eleme	ntary						
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Yea	ar	Licen			Rated	Capacity	. ****			
	1BABNCKA24F217998			2004			292		84					
Chas	sis Make			В	ody Mal	ке		Bus Type	: (see ?	for defini	tion)			
	Bluebird					Λ	orioon	\Box A	□В	□с	✓ D			
Who	el Chair Lift Equipped?	Whe	al Chai	r Lift Ea	uipped?		erican							
vviiee														
☐ Ye				d Faci				ot Applica						
Type	of Fuel:	Is Bu	ıs: 🗸	District	Owned	ı	ontractor Owned If co	ontractor ov	vned, cor	ntractor's	name	is:		
\square G	as 🗹 Diesel 🗌 Other													
		•			INISDE	CTION								
		TO	BF FI	LLEDC			GHWAY PATROL							
	This	inspecti		_		t semes	_	ster						
	11110	порсоц		roved		Comice	i Zna seme	otoi			Ann	roved		
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standa	rds	Yes	No	NA	Corr	
No.*	for School Buses in Montana	100	140	**	0011	No.*	for School Bus			100	110	**	0011	
C17	Identification - front					C34	Belt cutter **** attach	ned					1	
C18	Head lamps					C18	Interior lamps						1	
C10	Color					C18	Ceiling - interior							
C18	Turn signal lamps - front					C21	Seating							
C18	Turn signal lamps - side (post 1987)					C14	Floor						1	
C18	Red amber signals - front					C9	Aisle						1	
C18	Marker lamps - front					C22	Tools - storage						1	
C18	Windshield					C24	Windows							
C24	Windshield wipers					C13	Warning device							
C20	Exterior mirrors					C13	Buzzer emergency d	oor						
C3	Battery					C12	Emergency door							
C4	Generator or alternator					C18	Red amber signals -							
C11	Service door					C18	Turn signal lamps - r	ear					_	
C6	Head lamp indicator					C18	Stop lamps						_	
C6	Horn					C18	Marker lamps - rear							
C20	Interior mirror					C19	Strobe light - rear ***			-	ļ		-	
C6	Speedometer			1	1	C17	Identification - rear	looks)		1		1	4	
C2	Brakes					C4	Exhaust system (no	eaks)					-	
C21	Driver seat belt Steering gear					C5 C7	Fuel tank Tires (2/32" rear - 4/3	22" front mir	2)	+			+	
C13	Fire extinguisher (5 lbs)					O1	Cleanliness	الالاللاللال	1.)	1	 		+	
C13	First aid kit					C22	Stop arm			+	 		+	
C13	Body fluids kit					C5	No trailer hitch			1			+	
C11	Defroster Defroster					00	Required by forest	regulation:					+	
C6	Heaters			1	1	-	Shovel (securely fast			1	 	1	+	
C20	Wheelchair forward facing (post 1993)						Axe (securely fasten	,		1			†	
	umber reference, Standards for School Buses in N	Montana (2002 Ed	ition). **	**Bus dri	vers are r			tter attach	ed nearby	driver.	<u> </u>		
	not apply. ***New buses ordered after 08/15/02.**													
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:						
Approved							Approved							
	Not Approved						Not Approved							
_														

Inspecting Patrol Officer: Inspecting Patrol Officer: Badge No. Date Date

Signature of District Official

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Lone Rock Elementary** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 8858 1990 4239 Bus Type: (see ? for definition) Chassis Make Body Make ПА Пв ✓ C \Box D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards NΑ Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 C18 Stop lamps Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Lone Rock Elementary** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BAD1CMA3FF067038 1984 **M91** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Weber Transportation INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District:													
☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
☐ Ple	ase make corrections noted below. Don't	black ou	ut the eri	ror, OF	PI may ne	eed to read it to make the correction.							
OPI C	County # and County Name					Distri	ct Name						
	44 B III												
41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year							ne Rock E			***			
Venic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ear	Licen	se #		Rated C	apacity	, ^^^^		
	1GBL6P1B2JV110979			198	88		471				72		
Chas	sis Make			Е	Body Mal	ке		Bus Type:	(see ? fo	or defini	ition)		
	••							\Box A \Box	В	✓ C	\Box D		
\A/l	Chevrolet	\ \\ \/ \ -	al Ohair	1:4-	quipped?		ebird		י ט ט	<u> </u>			
vvnee	el Chair Lift Equipped?	vvne	ei Chair	LIITE	quippea :								
☐ Ye	es 🗹 No	□ F	orwar	d Fad	cing [Aisl	e Facing 🛮 🗹 N	ot Applica	ble				
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	I 🗌 C	ontractor Owned If co	ontractor owr	ned, cont	ractor's	name	is:	
✓ G	as \square Diesel \square Other												
<u> U</u>	as 🗆 Diesei 🗀 Othei												
						CTION							
							GHWAY PATROL						
	This	inspect	ion is fo		1s	t semes	ster 2nd semes	ster					
Page	Items listed in the Standards	Yes	Appr No	oved	Corr	Doss	Items listed in	tha Ctanda	lo.	Yes	App No	roved NA	Corr
No.*	for School Buses in Montana	res	INO	NA **	Con	Page No.*	for School Bus		-	res	INO	**	Con
C17	Identification - front					C34	Belt cutter **** attach					1	
C18	Head lamps					C18	Interior lamps					1	
C10	Color					C18	Ceiling - interior					1	
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage					—	
C18	Windshield					C24	Windows					<u> </u>	
C24	Windshield wipers					C13	Warning device	205				_	
C20	Exterior mirrors Battery	1				C12	Buzzer emergency do Emergency door	J01				+	
C4	Generator or alternator	1				C18	Red amber signals -	rear				+	
C11	Service door					C18	Turn signal lamps - re					1	
C6	Head lamp indicator					C18	Stop lamps					1	
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear					<u> </u>	
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5 C7	Fuel tank Tires (2/32" rear - 4/3	O" front min	`			_	
C13	Steering gear Fire extinguisher (5 lbs)					C/	Cleanliness	2 110111 111111.)			+	
C13	First aid kit	1				C22	Stop arm					+	
C13	Body fluids kit					C5	No trailer hitch					+	
C11	Defroster						Required by forest r	egulation:				1	
C6	Heaters						Shovel (securely fast	_				1	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene		_				
	umber reference, Standards for School Buses in										driver.	·	
Does	not apply. ***New buses ordered after 08/15/02.*	Dase0	ı on ongir	іаі Сара	acity iisted				e uie bus.				
On fi	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	cting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No	Date				Badge	No			Date			
Signa	ture of District Official	_				Date		<u> </u>		_		_	
	- 												



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Date

TR-13 Revised 11/04

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Lone Rock Elementary** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1BABMCXAXFL034391 1990 624 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird American** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 41 Ravalli **Lone Rock Elementary** Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **1BAANCSH9NF049402** 1992 472 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

Signature of District Official

Date

TR-13 Revised 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1F4LV514069 1990 L210 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.
Date

Date

On reinspection, this bus is:

Approved
Inspection Approved
Inspecting Patrol Officer:

Date

Date



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1F2HV531766 1987 L184 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Other **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date



Inspecting Patrol Officer:

Signature of District Official

Date

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDJ6D1F4EY521744 1984 L183 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **GMC Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other L & B Busing, Inc INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved

Inspecting Patrol Officer:

Badge No.

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the

Highw	ay Patrol as soon as all defects are correct	ted.		, .		700.0						0	
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may nee						ection.							
OPI C	County # and County Name					Distri	ct Name						
	41 Ravalli						Eloror	nce-Carlt	on K-11	Schl	_		
Vehic	le I.D. # (VIN) - Entire Number		Mod	del Ye	ear	Licen		ice-carit	Rated C				
	. ,									,			
Chao	X1GDJ6P1F9E521738 sis Make			198			L191	Bue Type	e: (see ? fo	or defini	72		
Chas	sis iviakė			"	Body Mak	e			•				
	GMC						omas	\square A	□В	✓ C	∐ D		
Whee	el Chair Lift Equipped?	Whee	el Chair	Lift E	quipped?								
□ Ye	es 🗹 No	□ F	orward	Fac	cing [☐ Aisl	e Facing 🛭 🗹 N	ot Applica	able				
Туре	of Fuel:	Is Bu	s:	Distri	ct Owned	✓ C	ontractor Owned If co	ontractor ov	vned, cont	tractor's	name i	s:	
\square G	as ☑ Diesel ☐ Other						Majestic Bus Se	rvice In	•				
					INIODE	OTION	wajestic bus se	i vice, iii	С.				
		то	BE FIL	LED	INSPE		GHWAY PATROL						
	This	inspection			_	t semes		ster					
		·	Appro				_				App	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						1
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 C9	Floor Aisle						1
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency do	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***						
C6	Speedometer						Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mir	า.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						1
C13	Body fluids kit Defroster					C5	No trailer hitch Required by forest r	ogulation:					
C6	Heaters						Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
*Page n	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**						equired to wear lap/should	der belts - cu			driver.	•	
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge		Date				Badge				Date			
Signa	ture of District Official					Date							
											TR-1	3 Revise	ed 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	ay Patrol as soon as all defects are correc	ted.						·				
Instru	ictions to OPI from School District:											
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
Please make corrections noted below. Don't black out the error, OPI may ne				eed to re	ead it to make the corr	ection.						
OPI County # and County Name			District Name									
										_		
	41 Ravalli							nce-Carlton K-				
Vehic	le I.D. # (VIN) - Entire Number		Mo	odel Ye	ar	Licen	se#	Rated	d Capacity	/ *****		
	1GDL6P1F2LV514071			199	0		L211		66			
Chas	sis Make				Body Mal	ке		Bus Type: (see '	? for defin			
					,			□ A □ B				
100	GMC	1 100	101	1.6. 5			ebird		<u>•</u> C	□D		
whee	el Chair Lift Equipped?	vvne	ei Chai	r Lift E	quipped?	,						
□ Ye	es 🗹 No	□ F	orwai	d Fac	ing	☐ Aisl	e Facing 🛮 🗹 N	ot Applicable				
Туре	of Fuel:	Is B	us:	Distric	t Owned	/ C	ontractor Owned If co	ontractor owned, co	ontractor's	name	is:	
□G	as ☑ Diesel ☐ Other			,								
	as 🗷 Diesei 🗆 Other						Majestic Bus Se	ervice, Inc.				
					INSPE	CTION						
					OUT BY	THE HI	GHWAY PATROL					
	This	inspect			1s	t semes	ster 🗹 2nd semes	ster				
		1		roved	1.	-					roved	1_
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus		Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach				+	
C18	Head lamps	1	1		+	C18	Interior lamps	lou		1	+	
C10	Color					C18	Ceiling - interior				1	
C18	Turn signal lamps - front					C21	Seating				1	
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows				<u> </u>	
C24	Windshield wipers					C13	Warning device				 	
C20	Exterior mirrors				+	C13	Buzzer emergency do	oor		-	+	
C3 C4	Battery Generator or alternator	1			+	C12 C18	Emergency door Red amber signals -	rear			+	
C11	Service door				+	C18	Turn signal lamps - re				+	
C6	Head lamp indicator					C18	Stop lamps	<u> </u>			1	
C6	Horn					C18	Marker lamps - rear					
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer						Identification - rear					
C2	Brakes					C4	Exhaust system (no l	eaks)			<u> </u>	
C21	Driver seat belt				-	C5	Fuel tank	0011 (('-)			 	
C7 C13	Steering gear Fire extinguisher (5 lbs)				+	C7	Tires (2/32" rear - 4/3 Cleanliness	sz front min.)			+	
C13	First aid kit					C22	Stop arm				+	
C13	Body fluids kit	1			+	C5	No trailer hitch				+	
C11	Defroster						Required by forest r	regulation:			1	
C6	Heaters						Shovel (securely fast	ened)			1	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)				
	umber reference, Standards for School Buses in l not apply. ***New buses ordered after 08/15/02.**									driver.		
On fi	st inspection, this bus is:					On re	inspection, this bus	is:				
	Approved						Approved					
	Not Approved						Not Approved					
Inspec	cting Patrol Officer:					Inspe	cting Patrol Officer:					
Badge No. Date				Badae	e No.		Date					
	ture of District Official					Date	-		_			
5												



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1F6MV501762 **T88** 1991 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVBBAAP9XH230761 1999 **AD59** Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date

Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1HVBBPLP4NH446868** 1992 BQ4 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Other International Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No. Date

Signature of District Official



Defroster

Wheelchair forward facing (post 1993)

Heaters

C11

C6

C20

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1FXMV501845 **T89** 1991 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:		
Approved		Approved		
Not Approved		Not Approved		
Inspecting Patrol Officer:		Inspecting Patrol Officer:		
			_	
Badge No.	Date	Badge No.	Date	
Signature of District Official		Date		

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **T87** 1GDL6P1F3MV501749 1991 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **Bluebird GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

School Year 2006 Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **T90** 1GDL6P1F5MV501753 1991 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDJ6P1F5GV518600 1986 L205 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ✓ Yes ☐ No ✓ Forward Facing ☐ Aisle Facing ☐ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No Yes No Yes NA Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected

riigiiw	ay Fatioi as soon as all delects are correct	.cu.											
Instru	uctions to OPI from School District:												
This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
☐ Ple	ease make corrections noted below. Don't	black ou	it the e	rror, OP	I may ne	eed to re	ead it to make the corr	ection.					
OPI (County # and County Name					Distri	ct Name						
	41 Ravalli						Flore	nce-Carlt	on K-1	2 Schl	s		
Vehic	le I.D. # (VIN) - Entire Number		M	odel Yea	ar	Licen		noc oant		Capacity			
	, ,												
	1HVLPHXP7FHA58740			198			L189		, ,		72		
Chas	sis Make			В	ody Mal	ке		Bus Type	: (see ? f	for defin	ition)		
	International					Blu	ıebird	□ A [\square B	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift Eq	uipped?			1					
□ Y	es 🗹 No	1 – .	-orwo	rd Fac	ina	Δiol	o Fooing	lot Applied	ablo				
								lot Applica					
Туре	of Fuel:	Is B	us:	Distric	t Owned	ı 🔽 C	ontractor Owned If co	ontractor ow	ned, con	itractor's	name	IS:	
☐ G	as 🗹 Diesel 🗌 Other						Majestic Bus Se	ervice, In	c.				
					INSPE	CTION	-						
		TC	BE FI	LLED C			GHWAY PATROL						
	This	inspect	ion is fo	or:	☐ 1s	t semes	ster 🗸 2nd seme	ster					
			App	roved							App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus		ına			**	
C17	Identification - front					C34	Belt cutter **** attach	ned				↓	_
C18	Head lamps					C18	Interior lamps					₩	_
C10	Color			1	1	C18	Ceiling - interior			1		+	_
C18	Turn signal lamps - front					C21	Seating					+	
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14 C9	Floor Aisle					+	-
C18	Marker lamps - front				1	C22	Tools - storage			+		+	+
C18	Windshield					C24	Windows					+	-
C24	Windshield wipers				1	C13	Warning device			1	1	+	+
C20	Exterior mirrors					C13	Buzzer emergency d	oor				+	+
C3	Battery				1	C12	Emergency door			1		+	+
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - r	ear					
C6	Head lamp indicator					C18	Stop lamps					T	
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear					$oldsymbol{ol}}}}}}}}}}}}}}}}}$	
C2	Brakes					C4	Exhaust system (no	leaks)				↓	
C21	Driver seat belt					C5	Fuel tank	2011 ()	`			₩	_
C7	Steering gear			1	1	C7	Tires (2/32" rear - 4/3	32" front mir	1.)	1		+	_
C13	Fire extinguisher (5 lbs)					COO	Cleanliness					+	-
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch					+	_
C11	Defroster					03	Required by forest	regulation:				+	+
C6	Heaters	}		1	1	1	Shovel (securely fast			+	1	+	+
C20	Wheelchair forward facing (post 1993)				1		Axe (securely fasten	,		1		+	+-
*Page n	umber reference, Standards for School Buses in N						required to wear lap/shoul	der belts - cut			driver.		
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.													
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						

On mot mopection, this bus is.		On remapeedion, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # X1GBL6P1PLV109756 1990 L180 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1HVLPHYP5EHA54697 1984 L198 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D International **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Defroster

Wheelchair forward facing (post 1993)

Heaters

C11

C6

C20

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1F7HV526529 1987 L208 66 Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior C18 Turn signal lamps - front C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 C19 Strobe light - rear *** Interior mirror C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm C13 Body fluids kit C5 No trailer hitch

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
			_
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

	omplete form is required in accordance with ay Patrol as soon as all defects are correct		n 20-10)-101, IV	ICA. AI	venicie	s not approved on firs	t inspection mus	t be reinspe	ctea by	tne	
Inetri	uctions to OPI from School District:											
	s bus has been sold, retired, or is no longe	r in car	rice DI	aasa da	loto it fr	om OPI	'e recorde					
_	ease make corrections noted below. Don't							ection.				
OPI C	County # and County Name					Distri	ct Name					
								.				
\/abia	41 Ravalli		LM	adal Va		Licon		nce-Carlton b	12 Sch ed Capacity			
venic	le I.D. # (VIN) - Entire Number		IVIO	odel Yea	ar	Licen	se #	Rat	ed Capacity	/		
	1GDL6P1FXJY517250			198	8		L181			72		
Chass	sis Make			В	ody Mal	ке		Bus Type: (see	e ? for definition)			
	GMC					Rlu	ıebird	□а □в	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift Eq	uipped?		lebila	<u> </u>				
				,			- Fi					
☐ Ye				rd Fac			<u> </u>	lot Applicable				
Туре	of Fuel:	Is B	us:	Distric	t Owned	✓ C	ontractor Owned If co	ontractor owned,	contractor's	s name	is:	
\Box G	as 🗹 Diesel 🗌 Other						L & B Busir	na. Inc				
		-			INSPE	CTION		-21,				
		TC) BE FI	LLED C			GHWAY PATROL					
	This	inspect	ion is fo	or:	1s	t semes	ster 🗹 2nd seme	ster				
		·		roved						App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in		Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus				**	
C17	Identification - front					C34	Belt cutter **** attach	ied				
C18 C10	Head lamps Color					C18	Interior lamps Ceiling - interior					
C18	Turn signal lamps - front			1	1	C21	Seating				1	1
C18	Turn signal lamps - side (post 1987)					C14	Floor					
C18	Red amber signals - front					C9	Aisle					
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield			1		C24	Windows					
C24	Windshield wipers					C13	Warning device					
C20	Exterior mirrors					C13	Buzzer emergency de	oor				
C3	Battery					C12 Emergency door						
C4	Generator or alternator					C18	Red amber signals -					
C11	Service door			1		C18	Turn signal lamps - re	ear			-	-
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear			-		
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					C17	Identification - rear					
C2	Brakes					C4	Exhaust system (no l	eaks)				
C21	Driver seat belt					C5	Fuel tank	,				
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)				
C13	Fire extinguisher (5 lbs)						Cleanliness					
C13	First aid kit					C22	Stop arm					
C13	Body fluids kit			ļ		C5	No trailer hitch					
C11	Defroster						Required by forest					
C6 C20	Heaters Wheelchair forward facing (post 1993)			1			Shovel (securely fast Axe (securely fastene				-	
	umber reference, Standards for School Buses in N	/ontana i	(2002 Fc	lition) **	**Bus dri	vers are i			ached nearby	/ driver		
Does r	not apply. *New buses ordered after 08/15/02.**	***Basec	on origi	nal capa	city listed	on the m	anufacturers certification	tag found inside the	bus.		_	
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:				
	Approved						Approved					
Not Approved				Not Approved								
Inspecting Patrol Officer: Insp				Inspecting Patrol Officer:								

Date Badge No. Date

Signature of District Official Date

TR-13 Revised 11/04



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # **1HVLPHYP7EHA20065** 1984 L200 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D International **Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date

Badge No.



Driver seat belt

Fire extinguisher (5 lbs)

Wheelchair forward facing (post 1993)

Steering gear

Body fluids kit

First aid kit

Defroster

Heaters

C13

C13

C11

C6

C20

Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDJ6P1F7GV520090 1986 L202 66 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:	
Approved		Approved	
Not Approved		Not Approved	
Inspecting Patrol Officer:		Inspecting Patrol Officer:	
Badge No.	Date	Badge No.	Date
Signature of District Official		Date	

C22

C5

Fuel tank

Cleanliness

Stop arm No trailer hitch

Tires (2/32" rear - 4/32" front min.)

Required by forest regulation:

Shovel (securely fastened)

Axe (securely fastened)

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name Florence-Carlton K-12 Schls 41 Ravalli Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDM6P1G3HV532440 1987 L207 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Majestic Bus Service, Inc. INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved **Not Approved** Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04